Polynomial Convergence of Bandit No-Regret Dynamics in Congestion Games

Leello Dadi^{*1}, Ioannis Panageas^{*2}, Stratis Skoulakis^{*1}, Luca Viano^{*1}, and Volkan Cevher¹

¹LIONS, École polytechnique fédérale de Lausanne (EPFL) ²Computer Science, University of California, Irvine

Abstract

We introduce an online learning algorithm in the bandit feedback model that, once adopted by all agents of a congestion game, results in game-dynamics that converge to an ϵ -approximate Nash Equilibrium in a polynomial number of rounds with respect to $1/\epsilon$, the number of players and the number of available resources. The proposed algorithm also guarantees sublinear regret to any agent adopting it. As a result, our work answers an open question from [29] and extends the recent results of [68] to the bandit feedback model. We additionally establish that our online learning algorithm can be implemented in *polynomial time* for the important special case of Network Congestion Games on Directed Acyclic Graphs (DAG) by constructing an exact 1-barycentric spanner for DAGs.

1 Introduction

Congestion games represent a class of multi-agent games where n self-interested agents compete over m resources. Each agent chooses a subset of these resources, and their individual costs depend on the utilization of each selected resource (i.e., the number of other agents utilizing the same resource). For instance, in *Network Congestion Games*, a graph is given, and each agent i aims to travel from an initial vertex s_i to a designated destination vertex t_i . The agent must then select a set of edges (i.e resources) constituting a valid (s_i, t_i) -path in the graph, while also trying to avoid congested edges.

Congestion games have been extensively studied over the years due to their wide-ranging applications [58, 73, 25, 41, 55, 72]. They always admit a Nash Equilibrium (NE) which is a *steady state* at which no agent can decrease their cost by unilaterally deviating to another selection of resources [71]. A Nash equilibrium is a static solution concept meaning that it does not describe how agents can end up in such an equilibrium state nor it indicates how agents should update their strategies. It is well-known that *better response dynamics*, in which agents sequentially update their resource selection, converges to a Nash Equilibrium and achieves accelerated rates for interesting special cases of congestion games [24, 44].

Despite the aforementioned positive convergence results, *better response dynamics* admit several caveats. The first is that their convergence properties heavily rely on the agents updating their strategies in a round-robin scheme which is a strong assumption in decentralized settings (in case of simultaneous updates better response dynamics may not converge to NE). The second is that computing a better response comes with the assumption that the agents are aware of the loads of all the available resources [24]. Finally, better response does not come with any kind of guarantees to individual agents, which raises concerns as to why a selfish agent should behave according to best-response.

Fortunately the online learning framework [50] provides a very concrete answer on what natural strategic behavior means [34]. There are various *no-regret* algorithms that a selfish agent can adopt in the context of repeated game-playing and guarantee that no matter the actions of the other agents, the agents suffer a cost comparable to the cost of the *best fixed action* [6, 78] chosen in hindsight. The latter guarantees persist

^{*}Equal contribution.

even under *bandit feedback model* at which the agent learns only the cost of its selected actions (resourceselection in the context of congestion games) [9, 7]. Due to the forementioned merits of bandit online learning algorithms, there exists a long line of works providing no-regret bandit online learning algorithms in the context of congestion games $[11, 30, 48, 14, 21, 54, 66, 8]^1$.

Despite the long interest in bandit online learning algorithms for congestion games, the convergence to Nash Equilibrium of such bandit learning algorithms remains unexplored. To the best of our knowledge [29] were the first to provide an update rule (performing under bandit feedback) that once adopted by all agents of a congestion game, the resulting strategies converge to an ϵ -approximate Nash Equilibrium with rate polynomial in n, m and $1/\epsilon$. However the update rule proposed by [29] does not guarantee the no-regret property. As a result, [29] asked the following question:

Open Question ([29]) Is there there an online learning algorithm performing under the bandit feedback such that

- 1. guarantees no-regret to any agent that adopts it
- 2. once adopted by all agents of a congestion game, the resulting strategies converge to an ϵ -approximate Nash Equilibrium in poly $(n, m, 1/\epsilon)$ rounds.

In their recent work [68] provided a positive answer for the *semi-bandit feedback model* in which the agents learn the cost of every single selected edge. We remark that in the *bandit feedback* the agents only learns the overall, total, cost of the selected path (sum of the costs of the selected edges) and thus *semi-bandit feedback* comes as a special case of the *bandit feedback*.

1.1 Our Contribution and Techniques

The main contribution of our work consists in providing a positive answer to the open question of [29]. More precisely, we provide an online learning algorithm, called *Online Gradient Descent with Caratheodory Exploration*, that simultaneously provides both regret guarantees and convergence to Nash Equilibrium.

Informal Theorem There exists an online learning algorithm (Online Gradient Descent with Caratheodory Exploration, BGD – CE) that performs under bandit feedback and guarantees $\mathcal{O}(m^{2.8}T^{4/5})$ regret to any agent that adopts it. Moreover if all agent adopt BGD – CE, then the resulting strategies converge to an ϵ -Nash Equilibrium after $\mathcal{O}(n^{13.5}m^9/\epsilon^5)$ steps.

We additionally remark that our proposed online learning algorithm additionally improves on the convergence rate of the algorithm of [29]. The next table summarizes the regret bounds and the convergence results of the various online learning algorithms proposed over the years.

Table 1: Comparison with previous related works. *A regret bound of $\mathcal{O}(m^3 T^{3/4})$ can be obtained under a different choice of step size and exploration coefficients (see Remark 13)

Regret	Gurantees and Conve	ergence rates	
Method	Regret Guarantees	Convergence to NE	Type of Feedback
EXP3 [9]	$\mathcal{O}(\sqrt{2^mT})$	No	Bandit
Awerbuck & Kleinberg [11]	$\mathcal{O}(m^{5/3}T^{2/3})$	No	Bandit
GeometricHedge $[30]$	$\mathcal{O}(m^{1.5}\sqrt{T})$	No	Bandit
Frank-Wolfe with Exploration [29]	Not Available	$\mathcal{O}(n^{11}m^{12}/\epsilon^6)$	Bandit
SBGD-CE [68]	$\mathcal{O}(m^2T^{4/5})$	$\mathcal{O}(n^6m^7/\epsilon^5)$	Semi-Bandit
BGD-CE (This Work)	$\mathcal{O}(m^{2.8}T^{4/5})^{\star}$	$\mathcal{O}(n^{13.5}m^{13}/\epsilon^5)$	Bandit

¹The setting is mostly know as Online Path Planning or linear bandits in the online learning literature.

Remark 1. We remark that due to their no-regret properties the online learning algorithms proposed by [9, 11, 30, 14] converge to a Coarse Correlated Equilibrium - an equilibrium notion that in the context of congestion/potential games differs from Nash Equilibrium [27, 12]. No-regret dynamics are guaranteed to converge to Coarse Correlated Equilibria, which is a strict superset of Nash Equilibria and moreover can even contain strictly dominated strategies [74].

All the aforementioned online learning algorithms concern general congestion games in which the strategy spaces of the agents do not admit any kind of combinatorial structure. As a result, all of the above online learning algorithms require exponential time with respect to the number of resources². For the important special case of Network Congestion Games in Directed Acyclic Networks [11, 42, 43, 5, 38], we provide a variant of our algorithm that preserves the above guarantees while running in polynomial time with respect to the number of edges.

Informal Theorem For Network Congestion games in Acyclic Directed Graphs (DAGs), Online Gradient Descent with Caratheodory Exploration, can be implemented in polynomial time.

Our Techniques The fundamental difficulty in designing no-regret online learning algorithms under bandit feedback is to guarantee that each resource is sufficiently explored. Unfortunately, standard bandit algorithms such as EXP3 [9] result in regret bounds of the form $\mathcal{O}(2^{m/2}\sqrt{T})$, that scale exponentially with respect to m. However, a long line of research in combinatorial bandits has produced algorithms with a regret polynomially dependent on m [11, 30, 48, 14, 21, 54, 66, 8]. These algorithms, in order to overcome the exploration problem, use various techniques that can roughly be categorized two camps, simultaneous exploration versus alternating explore-exploit, as described by [1]. However, to the best of our knowledge, none of these algorithms have been shown to converge to NE in congestion games once adopted by all agents (see Remark 1).

Our online learning algorithm, guaranteeing both no-regret and convergence to equilibrium, is based on combining Online Gradient Descent [78] with a novel exploration scheme, much like [37]. Our exploration strategy is based on coupling the notion of barycentric spanners [11] with the notion of Bounded-Away Polytopes proposed by [68] for the semi-bandit case. More precisely, [68] introduced the notion of μ -Bounded Away Polytope which corresponds to the description polytope of the strategy space (convex hull of all pure strategies) with the additional constraint that each resource is selected with probability at least $\mu > 0$. Projecting on this polytope ensures that the variance of the unobserved cost estimators remains bounded. In order to capture bandit estimators, we extend the notion of μ -Bounded Away Polytope to denote the subset of the description polytope for which each point admits a decomposition with least μ weight on a pre-selected barycentric spanner \mathcal{B} .

This technique of projecting on μ -Bounded polytopes closely ressembles the *mixing* strategies employed in online learning schemes that have alternating explore-exploit rounds. In those strategies, a fixed measure is added to bias the algorithm's chosen strategy. The projection on μ -Bounded polytopes, however, scales the point before adding a bias, and, in some rounds, does not alter the point. It is therefore a mix of simultaneous and alternating exploration, depending on the round.

As all the previous online learning algorithms, Online Gradient Descent with Caratheodory Exploration (OGD - CE), requires exponential-time in the case of general congestion games at which there is no combinatorial structure on the resources. In order to provide an polynomial-time implementation of OGD – CE for Network Congestion Games on Directed Acyclic Graphs we need to overcome a fundamental difficulty. In Section 4.2, we propose a novel construction of barycentric spanners for DAGs that outputs a 1-barycentric spanner in polynomial time (see Algorithm 4).

1.2 Related Work

Online Learning and Nash Equilibrium Our work falls squarely within the recent line of research studying the convergence properties of online learning dynamics in the context of repeated games [70, 2, 32, 4, 36, 53, 76, 63, 27]. Specifically [51, 67, 63, 76] establish asymptotic convergence guarantees for potential normal form games; congestion games are known to be isomorphic to potential games [64]. Most of the aforementioned works use techniques from stochastic approximation and are orthogonal to ours. Furthermore,

 $^{^{2}}$ [11] present an online learning algorithms that runs in polynomial-time for Network Congestion Games in Directed Acyclic Graphs

[22, 75] study the convergence properties of first-order methods in non-atomic congestion games; non-atomic congestion games capture continuous populations and result in convex landscapes. On the other hand, atomic congestion games (the focus of this paper) result in non-convex landscapes.

Bandits and Online Learning As already mentioned, our setting has been studied within the realm of online learning and bandits, where several no-regret algorithms for congestion games (or linear bandits) have been proposed. The main difference between our and previous works is that, once the previously proposed algorithms are adopted by all agents, the overall system only converges to a Coarse Correlated Equilibrium and not necessarily to a Nash equilibrium as our algorithm guarantees (see [68]). The design of no-regret algorithms for this setting began with [10] where a $O(T^{2/3})$ regret bound was achieved for linear bandit optimization against an oblivious adversary via introducing the notion of barycentric spanners. Then [62] built on this to propose a $O(T^{3/4})$ algorithm for linear bandits against an *adaptive* adversary using again the barycentric spanners. The work of [49] also proposed a scheme achieving the same $O(T^{3/4})$ rate. Then, the optimal rates were obtained by [31] who were the first to get $O(\sqrt{T})$ expected regret with the geometric hedge algorithm and closely followed by [1] who achieved the same expected regret using self-concordant barriers. Both these optimal rates were obtained with barriers (entropic or self-concordant) that diverge as points get close to the boundary of the strategy space. Unfortunately such barriers significantly degrade convergence rates to equilibria so we instead use ℓ_2 regularization in our work.

Relatively recent papers have focused on providing *efficient* algorithms with *high-probability* guarantees against adaptive adversaries [13, 59, 77]. See also [20] for a general framework on combinatorial bandits.

Existence and Equilibrium Efficiency In the context of Network Congestion games, the problem of equilibrium selection and efficiency has received a lot of interest. In [58], the notion of *Price of Anarchy* (PoA) was introduced that captures the ratio between the worst-case equilibrium and the optimal path assignment. Later works provided bounds on PoA [73, 25, 41, 55, 72, 61] for both atomic and non-atomic settings. Another line of work has to do with the computational complexity of computing Nash equilibria in Network congestion games. Notably in [35] it was shown that computing a Nash equilibrium in symmetric Network Congestion games can be done in polynomial time and also showed that in the asymmetric case, computing a pure Nash equilibrium belongs to class PLS (believed to be larger class than P). Further works appeared that investigate deterministic or randomized polynomial time approximation schemes for approximating a Nash equilibrium [40, 39, 18, 17, 15, 16, 26, 46, 45, 57, 56, 7].

2 Preliminaries and Results

In this section, we provide the necessary background on congestion games, the bandit feedback model and we introduce the mathematical notation used throughout the paper.

We start with some elementary notation. For a matrix A with singular value decomposition $A = U\Sigma V^T$, we define its pseudoinverse, denoted as A^+ , as $A^+ := V\Sigma^+U^T$ where Σ^+ is obtained taking the inverse of each non-zero element of the diagonal matrix Σ . We denote by $\mathbb{1}$ the vector whose coordinates are all equal to 1. The notation $f = \mathcal{O}(g)$ signifies that there exists a constant C > 0, independent of problem parameters, such that $f \leq Cg$, the notation $f = \tilde{\mathcal{O}}(g)$ further hides $\log(T)$ terms.

2.1 Congestion games

In congestion games, there exist a set of n selfish agent and a set of m resources E. Each agent $i \in [n]$ can select a subset of the resources $p_i \in S_i \subseteq 2^E$. A selection of resources $p_i \in S_i$ is also called a *pure strategy* while the set of all pure strategies S_i is also called *strategy space*. A selection of pure strategies profiles $p = (p_1, \ldots, p_n) \in S_1 \times \cdots \times S_n$ is called *joint strategy profile* and the set $S := S_1 \times \cdots \times S_n$ is called *joint strategy profile* and the set $S := S_1 \times \cdots \times S_n$ is called *joint strategy profile* and the set $S := (p_i, p_{-i})$ to isolate (only in syntax) the strategy p_i of agent i from the rest of the strategies p_{-i} of the other agents.

Given $p = (p_1, \ldots, p_n) \in S$, the load of resource $e \in E$, denoted as $\ell_e(p)$, equals

$$\ell_e(p) = \sum_{i=1}^n \mathbb{1} \left(e \in p_i \right).$$

and corresponds to the number of agents who have selected e in their pure strategy. Each resource is additionally associated with a non-negative, non-decreasing congestion cost function $c_e : \mathbb{N} \to [0, c_{\max}]$ that associates a cost $c_e(\ell)$ for a given load ℓ . For a joint strategy profile $p = (p_i, p_{-i}) \in S$, the cost of agent $i \in [n]$ equals,

$$C_i(p_i, p_{-i}) = \sum_{e \in p_i} c_e(\ell_e(p_i, p_{-i}))$$

and captures the congestion cost $c_e(\ell_e(p))$ of using resource $e \in p_i$.

Definition 1 (Nash equilibrium). A joint strategy profile $p = (p_1, \ldots, p_n) \in S$ is called an ϵ -approximate pure Nash equilibrium if and only if for all agents $i \in [n]$,

$$C_i(p_i, p_{-i}) \leq C_i(p'_i, p_{-i}) + \epsilon$$
 for any $p'_i \in S_i$

To simplify notation we note that a pure strategy $p_i \in S_i$ can also be viewed as a 0/1 vector $x^{p_i} \in \{0, 1\}^m$. Moreover given a joint strategy profile $p = (p_i, p_{-i}) \in S_i$, we can construct a cost vector $c(\ell(p)) \in \mathbb{R}^m$ where $c_e(\ell(p)) = c_e(\ell_e(p_i, p_{-i}))$. Then the cost of agent $i \in [n]$ can be concisely described by an inner product as,

$$C_i(p_i, p_{-i}) = \sum_{e \in p_i} c_e(\ell_e(p_i, p_{-i})) = \langle c(\ell(p)), p_i \rangle$$

An agent $i \in [n]$ can also select a probability distribution over its pure strategies S_i . Such a probability distribution $\pi_i \in \Delta(S_i)$ is called a *mixed strategy*.

Definition 2 (Expected cost). Given joint mixed strategy profile $\pi = (\pi_i, \pi_{-i})$, the expected cost of agent *i*, equals

$$C_i(\pi_i, \pi_{-i}) := \mathbb{E}_{p \sim (\pi_i, \pi_{-i})} \left[C_i(p) \right]$$

The notion of Nash Equilibrium provided in Definition 1 can be naturally extended in the context of mixed strategies.

Definition 3 (Mixed Nash equilibrium). A mixed joint strategy profile $\pi := (\pi_1, \ldots, \pi_n) \in \Delta(\mathcal{S}_{\epsilon}) \times \cdots \times \Delta(\mathcal{S}_n)$ is called an ϵ -approximate mixed Nash equilibrium if and only if for all agents $i \in [n]$,

$$C_i(\pi_i, \pi_{-i}) \leq C_i(\pi'_i, \pi_{-i}) + \epsilon$$
 for any $\pi'_i \in \Delta(\mathcal{S}_i)$.

Network Congestion Games An important special case of Congestion Games are the so-called *Network Congestion Games* [35]. In Network Congestion Games there exits an underlying directed graph G(V, E) with the edges E correspond to the available resources. Each agent $i \in [n]$ is associated with a *sink node* $s_i \in V$ and a *target node* $t_i \in V$ while its strategy space $S_i \subseteq E$ equals,

$$S_i = \{ \text{all } (s_t, t_i) \text{-paths in the graph } G(V, E) \} \}$$

A directed graph G(V, E) is called *Directed Acyclic Graph* (DAG) in case there are no cycles in G(V, E). The special structure of network games over DAGs allows for computationally efficient algorithms.

2.2 Bandit Dynamics in Congestion Games

When a congestion game is repeatedly played over T rounds, each agent i selects a new mixed strategy $\pi_i^t \in \Delta(S_i)$ at each round $t \in [T]$ in their attempt to minimize their overall cost. The notion of *bandit* feedback captures the fact that at the end of each round, each agent $i \in [n]$ is only informed on the overall cost of their selected strategy [29].

Bandit Dynamics in Congestion Games

At each round $t = 1, \ldots, T$,

- 1. Each agent $i \in [n]$ selects a mixed strategy, $\pi_i^t \in \Delta(\mathcal{S}_i)$.
- 2. Each agent $i \in [n]$ samples a pure strategy $p_i^t \sim \pi_i^t$ and incurs cost

$$C_i(p_i^t, p_{-i}^t) = \sum_{e \in p_i^t} c_e(\ell_e(p_i^t, p_{-i}^t))$$

3. Each agent $i \in [n]$ only observes $C_i(p_i^t, p_{-i}^t)$ (overall cost) and updates its mixed strategy $\pi_i^{t+1} \in \Delta(S_i)$.

The only feedback received by agent *i* after picking p_i^t is the cost $C_i(p_i^t, p_{-i}^t)$. This limited feedback is referred to as *bandit feedback* [29]. This contrasts with the *full information feedback* where the agents observes the cost of *all* the available resources { $c_e(\ell(p^t))$: for all $e \in E$ } [50] and the *semi-bandit feedback* setting where the agent observes the cost of each of the individual resources it has selected { $c_e(\ell(p^t))$: for all $e \in p_i^t$ } [68].

Each agent $i \in [n]$ tries to selects the mixed strategies $\pi_i^t \in \Delta(S_i)$ so as to minimize their overall cost over the *T* rounds of play. Since the cost of the edges are determined by the strategies of the other agents that are unknown to agent *i*, the agent *i* can assume that the cost of each agents are selected in an arbitrary and adversarial manner. Recalling that the cost $C_i(p_i^t, p_{-i}^t)$ is linear in p_i^t , the problem at hand is a particular instance of the Online Resource Selection under Bandit Feedback [7].

Online Resource Selection under Bandit Feedback

At each round $t = 1, \ldots, T$,

- 1. Agent *i* picks a mixed strategy $\pi_i^t \in \Delta(\mathcal{S}_i)$.
- 2. An adversary picks a cost vector $c^t \in \mathbb{R}^m$, with $||c^t||_{\infty} \leq c_{\max}$.
- 3. Agent *i* samples a pure strategy $p_i^t \sim \pi_i^t$ and incurs cost $l_i^t = \langle c^t, p_i^t \rangle$.
- 4. Agent *i* observes l_i^t and updates its distribution $\pi_i^{t+1} \in \Delta(\mathcal{S}_i)$.

The agent's goal is therefore to output a sequence of strategies $p_i^{1:T}$ that minimize the incurred costs against *any* adversarially chosen sequence of cost vectors $c^{1:T}$ where c^t can even depend on $\pi_i^{1:t-1}$. The quality of a sequence of play $p_i^{1:T}$ is measured in terms of *regret*, capturing its suboptimality with respect to the best fixed strategy.

Definition 4 (Regret). The regret of the sequence $p_i^{1:T}$ with respect to the cost sequence $c^{1:T}$ equals

$$\mathcal{R}\left(p_{i}^{1:T}, c^{1:T}\right) := \sum_{t=1}^{T} \left\langle c^{t}, p_{i}^{t} \right\rangle - \min_{u \in \mathcal{S}_{i}} \sum_{t=1}^{T} \left\langle c^{t}, u \right\rangle.$$

In other words, regret compares the overall cost of a sequence of pure strategies with the cost of the best fixed strategy in hindsight.

As already mentioned there are various online learning algorithms that even under the bandit feedback model are able guarantee sublinear regret almost surely. In the online learning literature such algorithms are called *no-regret* [10, 30, 48, 14, 21, 54, 66, 8].

Definition 5 (No-Regret). An online learning algorithm \mathcal{A} for Linear Bandit Optimization is called no-regret if and only if for any cost vector sequence c^1, \ldots, c^T , \mathcal{A} produces a sequence of mixed strategies π_i^1, \ldots, π_i^T $(\pi_i^{t+1} = \mathcal{A}(l_i^1, \ldots, l_i^t))$ such that with high probability $\mathcal{R}(p_i^{1:T}, c^{1:T}) = o(T)$.

No-regret algorithms are considered to be a very natural way of modeling the behavior of selfish agents in repeatedly played games since they guarantee that the time-averaged cost approaches the time-average cost of the best fixed actions, no matter the actions of the other agents [34].

2.3 Our Results

The main contribution of our work is the design of a no-regret online learning algorithm (under bandit feedback) with the property that if adopted by all agents of a congestion game, then the overall strategy profile converges to a Nash Equilibrium. As already mentioned, our results provide an affirmative answer to the open question posed by [29]. We also remark that despite the fact that various no-regret have been proposed over the years they do not guarantee convergence to Nash Equilibrium once adopted by all agents of a congestion game. The no-regret property of our algorithm is formally stated and established in Theorem 2 while its convergence properties to Nash Equilibrium are presented in Theorem 3.

Theorem 2. There exists a no-regret algorithm, Bandit Gradient Descent with Caratheodory Exploration (BGD-CE) such that for any cost vector sequence $c_1, \ldots, c_T \in [0, c_{\max}]^m$ and $\delta > 0$

$$\mathcal{R}\left(p_{i}^{1:T}, c^{1:T}\right) := \sum_{t=1}^{T} \sum_{e \in p_{i}^{t}} c_{e}^{t} - \min_{p_{i}^{*} \in \mathcal{S}_{i}} \sum_{t=1}^{T} \sum_{e \in p_{i}^{*}} c_{e}^{t} \le \tilde{\mathcal{O}}\left(m^{5.5} c_{\max}^{2} T^{4/5} \sqrt{\log \frac{1}{\delta}}\right)$$

with probability $1 - \delta$.

Theorem 3 (Converge to NE). Let $\pi^1, \ldots, \pi^T \in \Delta(S_1) \times \ldots \times \Delta(S_1)$ the sequence of strategy profiles produced if all agents adopt Bandit Gradient Descent with Caratheodory Exploration (BGD-CE). Then for all $T \geq \Theta(n^{13}m^{13}/\epsilon^5)$,

$$\frac{1}{T}\mathbb{E}\left[\sum_{t=1}^{T}\max_{i\in[n]}\left[c_i(\pi_i^t,\pi_{-i}^t)-\min_{\pi_i\in\Delta(\mathcal{P}_i)}c_i(\pi_i,\pi_{-i}^t)\right]\right] \le \epsilon$$

We note that the exact same notion of *best-iterate convergence* (as in Theorem 3) is considered in [29, 60, 33, 3, 68]. In Corollary 1 we present a more clear interpretation of Theorem 3.

Corollary 1. In case all agents adopt BGD-CE for $T \ge \Theta(m^{13}m^{13}/\epsilon^5)$ then with probability $\ge 1 - \delta$,

- $(1-\delta)T$ of the strategy profiles π^1, \ldots, π^T are ϵ/δ^2 -approximate Mixed NE.
- π^t is an ϵ/δ -approximate Mixed NE once t is sampled uniformly at random in $\{1, \ldots, T\}$

The running time of BGD – CE is exponential in general congestion games at which the strategy space S_i does admit any combinatorial structure. In Theorem 4 we establish that for Network Congestion Games in Directed Acyclic Networks BGD – CE can be implemented in polynomial time.

Theorem 4. For Network Congestion Games over DAGs, BGD - CE (Algorithm 3) can be implemented in polynomial time.

The rest of the paper is organized as follows. In Section 3 we present, BGD-CE (Algorithm 2) and explain the two main ideas behind its design. In Section 4 we present the polynomial-time implementation of BGD-CE (Algorithm 3) for the special case of Network Congestion Games over DAGs. Finally in Section 5, we present the basic steps for establishing Theorem 3 and Theorem 4.

3 Bandit Online Gradient Descent with Caratheodory Exploration

In this section, we present our online learning algorithm for general congestion games, called Bandit Online Gradient Descent with Caratheodory Exploration. The formal description of our algorithm lies in Section 3.3 (Algorithm 2). Before presenting our algorithm, in Section 3.1) we present the notion of Implicit Description Polytopes for Congestion Games and in Section 3.2 the notion of Barycentric Spanners [10].

3.1 Implicit Description and Strategy Sampling

The set of resources can be numbered such that $E = \{1, \ldots, m\}$. The latter allows for the strategy space S_i to be embedded in the vertices of the *m* dimensional hypercube. Indeed any $p_i \in S_i$ can be described, with a slight abuse of notation, by the vertex $p_i \in \{0,1\}^m$ where $p_{ie} = 1$ if and only if $e \in p_i$. The following definition formalizes this embedding.

Definition 6 (Implicit description polytope). For any element in S_i , let $p_i \in \{0, 1\}^m$ denote its encoding as a vertex in the hypercube. The implicit description polytope \mathcal{X}_i is given by the following convex hull

$$\mathcal{X}_i := conv(\{p_i \in \{0,1\}^m, p_i \in \mathcal{S}_i\}),\$$

 \mathcal{X}_i is a closed convex polytope so there exists $A_i \in \mathbb{R}^{r_i \times m}$ and $d_i \in \mathbb{R}^{r_i}$, for some $r_i \in \mathbb{N}$, such that

$$\mathcal{X}_i = \{ x \in \mathbb{R}^m, A_i x \le d_i \}$$

The polytope is therefore defined by the pair (A_i, d_i) and its size is given by r_i and m.

This implicit description polytope is of interest because the strategy space S_i corresponds to its extreme points. Moreover, the set of distribution over the strategy space $\Delta(S_i)$ is also captured by the polytope as shown by the following definition.

Definition 7 (Marginalization). For any $\pi_i \in \Delta(S_i)$ we can associate a point $x^{\pi_i} \in \mathcal{X}_i$ defined as

$$x^{\pi_i} = \sum_{p_i \in \mathcal{S}_i} \Pr_{u \sim \pi_i} \left[u = p_i \right] p_i.$$

The reverse correspondence of obtaining a distribution $\pi_i \in \Delta(S_i)$ from a point $x_i \in \mathcal{X}_i$ can also established thanks to a result of Caratheodory [19].

Definition 8 (Caratheodory decomposition). Let $x_i \in \mathcal{X}_i$. By Caratheodory's theorem, there exists m + 1 strategies v_i^1, \ldots, v_i^{m+1} and scalars $\lambda_1, \ldots, \lambda_{m+1}$ such that

$$x_i = \sum_{j=1}^{m+1} \lambda_j v_i^j \tag{CD}$$

with $\lambda_j \geq 0$ and $\sum_j \lambda_j = 1$. The set $C_i = \{(v_i^1, \lambda_1), \dots, (v_i^{m+1}, \lambda_{m+1})\}$ is called a Caratheodory decomposition of x.

With the result above, any point in \mathcal{X}_i can be associated to a distribution that can be sampled easily.

3.2 Barycentric Spanners and Bounded Away Polytopes

This section introduces the important concept of barycentric spanners [10]. We will leverage barycentric spanners to ensure sufficient exploration of the resources set and hence guarantee low variance of the cost estimators.

Definition 9 (ϑ -spanners). A subset of independent vectors $\{b_1, \ldots, b_s\} \subseteq \mathcal{X}_i$, with $s \leq m$, is said to be ϑ -spanner of \mathcal{X}_i , with $\vartheta \geq 1$, if, for all $x \in \mathcal{X}_i$, there exists $\alpha \in \mathbb{R}^s$ such that

$$x = \sum_{k=1}^{s} \alpha_k b_k$$
 and $\alpha_i^2 \le \vartheta^2$, for all $k \in [s]$.

Theorem 5 (Existence of spanners ([10], Proposition 2.2)). Any compact set $\mathcal{X}_i \subset \mathbb{R}^m$ admits an O(1)-spanner.

We adopt barycentric spanners as a key ingredient in our algorithm. Since barycentric spanners essentially form a kind of basis of the polytope \mathcal{X}_i , we can introduce the basis polytope \mathcal{D}_i in the following definition.

Definition 10 (Basis polytope). Let B_i be the matrix whose columns are ϑ -barycentric spanners b_1, \ldots, b_s of \mathcal{X}_i . The polytope defined as

$$\mathcal{D}_i = \{ \alpha \in [-\vartheta, \vartheta]^s, \ B_i \alpha \in \mathcal{X}_i \}$$

is referred to as the basis polytope.

It is in this polytope that we can achieve fine control of norms necessary for our proofs, for this reason agents will operate in their respective basis polytopes. Moreover to ensure sufficient exploration, the boundaries of the polytope need to be avoided. More precisely, we introduce the notion of μ -Bounded-Away Basis Polytope that will be central for our proposed algorithm.

Definition 11. Let $\mu > 0$ be an exploration parameter. The μ -Bounded-Away basis Polytope, denoted as \mathcal{D}_i^{μ} , is defined as

$$\mathcal{D}_{i}^{\mu} \triangleq (1-\mu)\mathcal{D}_{i} + \frac{\mu}{s}\mathbb{1}.$$
(1)

We remark that the μ -Bounded-Away Polytope \mathcal{D}_i^{μ} is always non empty as it contains $\frac{1}{s}\mathbb{1}$, moreover, $\mathcal{D}_i^{\mu} \subseteq \mathcal{D}_i$. A simplified version of this idea has been shown successful for the semi-bandit feedback model [68] and it appeared in [23] that used it in the context of online predictions with experts advice.

Equation (1) shows that any point $\alpha_i \in \mathcal{D}_i$ admits a decomposition where $\frac{1}{s}\mathbb{1}$ appears with coefficient μ . Mapping back to the implicit description polytope, this implies that the point $x_i = B_i \alpha_i$ admits a decomposition that assigns a weight $\mu > 0$ to $\overline{b_i} = \frac{1}{|\mathcal{B}_i|} \sum_{b \in \mathcal{B}_i} b$, which can be understood as the uniform distribution over the spanners. In fact, there is a tractable way of obtaining this decomposition as evidenced by the following definition.

Definition 12 (Shifted Caratheodory decomposition). Given a barycentric spanner \mathcal{B}_i and the respective μ -bounded away basis polytope \mathcal{D}_i , for any $\alpha \in \mathcal{D}_i^{\mu}$, with $\alpha = (1 - \mu)z + \frac{\mu}{s}\mathbb{1}$ for some $z \in \mathcal{D}_i$, the shifted Caratheodory decomposition of $x = B_i \alpha$ is given by

$$x = (1 - \mu) \left[\sum_{(p,\lambda_p) \in \mathcal{C}_i} \lambda_p \cdot p \right] + \frac{\mu}{|\mathcal{B}_i|} \sum_{b \in \mathcal{B}_i} b_i$$

where C_i is the Caratheodory decomposition of $B_i z \in \mathcal{X}_i$.

In Algorithm 1 we present how, for any $\alpha \in \mathcal{D}_i^{\mu}$, a point $x = B_i \alpha \in \mathcal{X}_i$ can be decomposed to a probability distribution $\pi_x \in \Delta(\mathcal{S}_i)$.

Algorithm 1 CaratheodoryDistribution

1: **Input:** $x \in \mathcal{X}_i$, exploration parameter $\mu > 0$, spanner $\mathcal{B}_i = \{b_1 \dots, b_s\}$.

2: Consider the shifted decomposition of x (see Definition 12) with $\bar{b}_i = \frac{1}{|\mathcal{B}_i|} \sum_{b \in \mathcal{B}_i} b$, i.e.

$$x = (1 - \mu) \left[\sum_{(p,\lambda_p) \in \mathcal{C}_i} \lambda_p \cdot p \right] + \frac{\mu}{|\mathcal{B}_i|} \sum_{b \in \mathcal{B}_i} b_i$$

where $C_i = \{(\lambda_1, v_i^1), \dots, (\lambda_{m+1}, v_i^{m+1})\}$ is the Caratheodory decomposition of $\frac{1}{1-\mu} \left(x - \frac{\mu}{|\mathcal{B}_i|} \sum_{b \in \mathcal{B}_i} b_i\right)$ 3: **Output** $\pi_x \in \Delta(\mathcal{S}_i)$ with $\operatorname{supp}(\pi) = \{v_i^1 \dots v_i^{m+1}\} \cup \mathcal{B}_i$ such that

- $\Pr_{u \sim \pi_x}[u = v_k] = (1 \mu)\lambda_k$ for all $k \in [m + 1]$
- $\Pr_{u \sim \pi_x}[u = b_s] = \mu/|\mathcal{B}_i|$ for all $b_s \in \mathcal{B}_i$

Algorithm 2 Bandit Gradient Descent with Caratheodory Exploration and Bounded Away polytopes

1: Agent *i* computes a $\mathcal{O}(1)$ -barycentric spanner (see Definition 9) $\mathcal{B} = \{b_1, \ldots, b_s\}$.

- 2: Agent *i* sets $B_i \in \mathbb{R}^{m \times s}$ to be the matrix with columns $\{b_1, \ldots, b_s\}$.
- 3: Agent *i* selects an arbitrary $\alpha_i^1 \in \mathcal{D}_i^{\mu_1}$.
- 4: for each round $t = 1, \ldots, T$ do
- 5: Define $x_i^t = B_i \alpha_i^t$.
- 6: Agent *i* samples $p_i^t \sim \pi_i^t$ where $\pi_i^t = \text{CaratheodoryDistribution}(x_i^t; \mu_t, \mathcal{B})$ (Algorithm 1).
- 7: Agent i suffers cost,

$$l_i^t := \left\langle c^t, p_i^t \right\rangle$$

8: Agent *i* sets $\hat{c}^t \leftarrow l_i^t \cdot M_{i,t}^+ p_i^t$ where $M_{i,t} = \mathbb{E}_{v \sim \pi_i^t} [vv^\top]$. 9: Agent *i* updates $\alpha_i^{t+1} = \prod_{\mathcal{D}_i^{\mu_{t+1}}} (\alpha_i^t - \gamma_t B_i^\top \hat{c}^t)$ 10: **end for**

3.3 Bandit Gradient Descent with Caratheodory Exploration

In this section we present our algorithm, called Bandit Gradient Descent with Caratheodory Exploration (BGD - CE) described in Algorithm 2.

Algorithm 2 and is based on Projected Online Gradient Descent [79] but it includes two important variations leveraging the technical tools introduced in the previous sections.

Resources sampling In Step 6 of Algorithm 2 we need to sample from a distribution over S_i . As this set can be exponentially large, this sampling procedure might have complexity exponential in m. To avoid such a computational complexity, we will use a reparametrization of the problem to ensure that all the distributions π_i^t 's generated by the algorithm have sparse support.

Bounded variance estimator Since we work under bandit feedback, we can not directly observe all the entries of the cost vector. To circumvent this challenge, we adopt the standard estimator for online linear optimization with bandit feedback proposed in [31] which is $\hat{c}^t \leftarrow l_i^t \cdot M_{i,t}^+ p_i^t$ where $M_{i,t} = \mathbb{E}_{u \sim \pi_i^t} [uu^\top]$. The bounds on the variance of this estimator depends on the inverse of the smallest nonzero eigenvalue of $M_{i,t}$ (see Lemma 9) but unfortunately this could be arbitrary small for points close to the boundaries of the polytope \mathcal{X}_i . For this reason, in Step 8 of Algorithm 2 we project on the set shrunk down polytope, \mathcal{D}_i^{μ} , that ensures we are μ away from the boundary. Thanks to this, we can prove the following result concerning the cost estimator.

Lemma 1. The estimator $\hat{c}^t = l_i^t \cdot M_{i,t}^+ p_i^t$ satisfies

1. $\mathbb{E}[\langle \hat{c}^t, x \rangle] = \langle c^t, x \rangle$ for $x \in \mathcal{X}_i$ (Orthogonal Bias). 2. $\|B_i^\top \hat{c}^t\|_2 \leq \vartheta \frac{m^{5/2}}{\mu_t} c_{\max}$. (Boundness). 3. $\mathbb{E}\left[\|B_i^\top \hat{c}^t\|_2^2\right] \leq \frac{nm^4 c_{\max}^2}{\mu_t}$ (Second Moment)

Using Lemma 1 we are able to establish both the no-regret property of Algorithm 2 as well as its convergence properties of Nash Equilibrium in case Algorithm 2 is adopted by all agents. In Theorem 6 we formally stated and establish the no-regret property of Algorithm 2.

Theorem 6 (No-Regret). Let $\delta \in (0,1)$. If agent $i \in [n]$ generates its strategies $p^{1:T}$ using Algorithm 2 with step sizes $\gamma_t = \sqrt{\frac{C \max \mu_t}{\vartheta n^3 m^6 t}}$ and biases $\mu_t = \min\left\{\frac{n^{1/5}}{m^{7/5}t^{1/5}c_{\max}^{1/5}}, 0.5\right\}$, then, for any adversarial adaptive sequence $c^{1:T}$,

$$\mathcal{R}\left(p_i^{1:T}, c^{1:T}\right) \le \tilde{\mathcal{O}}\left(m^{5.5}c^2 T^{4/5} \sqrt{\log \frac{1}{\delta}}\right)$$

with probability $1 - \delta$.

In Theorem 7 we establish the convergence properties of Algorithm 2 to Nash Equilibrium.

Theorem 7 (Convergence to Nash). Let all the agents adopt Algorithm 2 with step sizes $\gamma_t = \sqrt{\frac{c_{\max}\mu_t}{n^3m^6t}}$ and biases $\mu_t = \frac{n^{1/5}}{m^{7/5}t^{1/5}c_{\max}^{1/5}}$. We denote by π^1, \ldots, π^T the sequence of joint strategy profiles produced. Then, for $T \ge \Theta(m^{13}m^{13.5}/\epsilon^5)$,

$$\frac{1}{T}\mathbb{E}\left[\sum_{t=1}^{T}\max_{i\in[n]}\left[c_i(\pi_i^t,\pi_{-i}^t)-\min_{\pi_i\in\Delta(\mathcal{P}_i)}c_i(\pi_i,\pi_{-i}^t)\right]\right]\leq\epsilon.$$

We remark that the complexity of Algorithm 2 is polynomial with respect to the size of *implicit polytope* \mathcal{X}_i . However the for general congestion games the size of \mathcal{X}_i can be exponential on m. Moreover constructing an $\mathcal{O}(1)$ -barycentric spanner for general congestion games also requires exponential time in m [10] when the size of the polytope is exponential. However for the important special case of network games over DAGs we present how Algorithm 2 can be implemented in polynomial time with respect to m (see Section 4.2). To establish the latter we present a novel algorithm for constructing 1-barycentric spanners for network games for the special case of DAGs that runs in polynomial time (see Algorithm 1). Finally in Section 5, we present the proof sketches of both Theorem 6 and Theorem 7.

4 Implementing Algorithm 2 in Polynomial-Time for DAGs

In this section we present how Algorithm 2 can be implemented in polynomial time for the special case of DAGs. The latter involves two key steps. The first one consists in computing barycentric spanners in polynomial while the second in efficiently computing a Caratheorody Decomposition. We remark that none of the above steps can be done in polynomial time for general congesiton games. To tackle the first challenge in Algorithm 4 we present a novel and efficient procedure for spanner construction which also consists the main technical contribution of this section. To tackle the second challenge, we use the approach introduced in the previous work of [68]. Overall, we present the computationally efficient version of Algorithm 2 for the case of Network Congestion Games over DAGs in Algorithm 3.

4.1 Complexity for general congestion games

For $\vartheta = \mathcal{O}(1)$ but with $\vartheta > 1$, [10] shows that it is possible to compute a ϑ -spanner for any compact set with a polynomial number of calls to a linear minimization oracle. The time complexity of this oracle depends polynomially on r_i and m where r_i is the number of rows in (A_i, d_i) , the implicit description of \mathcal{X}_i . The updates of Algorithm 2 further require a Caratheodory decomposition for sampling at step 3, the inversion of a $m \times m$ matrix $M_{i,t}$ and finally a projection onto \mathcal{X}_i . Overall the complexity of a single update is therefore poly (r_i, m) . For general congestion games, it can be the case that r_i is exponential in m. For the special case of network games however, \mathcal{X}_i corresponds to the flow polytope for which $r_i \leq m$. We discuss this special case in the next section.

4.2 Efficient implementation of Algorithm 2 for DAGs

As aforementioned, an efficient implementation is possible if the set of resources correspond to the edges of a DAG. First, recall that the implicit description polytope \mathcal{X}_i admits a polynomial description. Indeed, in network congestion games \mathcal{X} has the following simple form.

Definition 13 (Flow polytope). The implicit description polytope of a Network Congestion Game over a directed acyclic graph G(V, E) with start and target node $s_i, t_i \in V$ is given by

$$\begin{aligned} \mathcal{X}_i &\triangleq \left\{ x \in \{0,1\}^m : \sum_{e \in \operatorname{Out}(s_i)} x_e = 1 \\ &\sum_{e \in \operatorname{In}(v)} x_e = \sum_{e \in \operatorname{Out}(v)} x_e \quad \forall v \in V \setminus \{s_i, t_i\} \\ &\sum_{e \in \operatorname{In}(t_i)} x_e = 1 \right\} \end{aligned}$$



Figure 1: Construction of a 1-spanner for DAGs. We illustrate Algorithm 4 on a simple graph. We can select the three red edges as the non redundant edges. We cover these using 3 paths that will constitute the basis. For edge $s \to b$, we select $s \to b \to d \to e \to g \to t$. For the edge $s \to c$, we first check if is reachable from edge $s \to b$, we notice it is not. We then find a path starting from s. In this case, we select $s \to c \to d \to e \to g \to t$. For edge $e \to f$ we check if is reachable from the last covered edge (in topological order), we notice it is reachable from edge $s \to c$ so we select $s \to c \to d \to e \to f \to t$. The key idea we use to construct a 1-spanner is to ensure that when we cover edges, we first try to reach them with the previously covered edges going in reverse topological order. This prefix property ensures the 1-spanner property.

Notice that the number of constraints is simply |V|. Therefore, a DAG admits an implicit description with $r_i = |V| < m$. Moreover, we have the following important characterization of the extreme points.

Lemma 2. [68, Lemma 11] The extreme points of the (s_i, t_i) -path polytope \mathcal{X}_i correspond to (s_i, t_i) -paths of G(V, E) and vice versa.

Therefore, despite the fact that there potentially exponentially many extreme points of \mathcal{X}_i , the set \mathcal{X}_i is described concisely by |V| constraints. The first important consequence of this result is that invoking the following theorem (Theorem 8) we can ensure that Step 5 in Algorithm 2 runs in polynomial time.

Theorem 8. [47] Let $x \in \mathcal{X}_i = \{u \in [0,1]^m, A_i u \leq d_i\}$, with $A_i \in \mathbb{R}^{r_i \times m}$ and $d_i \in \mathbb{R}^m$. Then a Caratheodory decomposition can be computed in polynomial time with respect to r_i and m.

Given a shortest path algorithm, this can be done using [68, Algorithm 1]. Moreover, also the projection in Step 8 of Algorithm 2 can be computed up to arbitrary accuracy in polynomial time given that \mathcal{X} can be represented via |V| affine constraints. The second computational bottleneck in the general case is the spanner computation. However, for the special case of DAGs, we present next an algorithm that construct exact 1spanner which has better computational complexity compared to [10]. The improvement is possible because the approach by [10] does not exploit the specific structure of DAGs. We propose, instead, an algorithm that stays in the natural parametrization of the problem and outputs a 1-spanner. The construction is detailed in Algorithm 4 and rests on a clever use of prefix paths. All in all, we have the next formal result.

Theorem 9. Given a Directed Acyclic Graph G = (V, E) with source $s_i \in V$ and sink $t_i \in V$, there exists a polynomial time algorithm (i.e. Algorithm 4) computing an exact 1-spanner for \mathcal{X}_i .

We give a constructive proof of Theorem 9 in Section 4.3. Overall, for the case of DAG we have the following algorithm that runs in polynomial time. The difference compared to the general case (i.e. Algorithm 2) is that in Step 2 the spanner is computed efficiently invoking Algorithm 4.

4.3 Constructing the spanner of DAGs

In this section we present Algorithm 4 that computes an 1-barycentric spanner for the special case of DAGs. To simplify notation for a given agent $i \in [n]$, we denote by $\mathcal{S}_i \subset \mathbb{R}^m$, the strategy space corresponding to set of all paths connecting s_i to t_i . We can restrict our attention to the subgraph $G_i = (V_i, E_i)$ where V_i and E_i corresponds to the nodes and edges appearing in at least one path in \mathcal{S}_i .

4.3.1 Blue edges

The convex hull of the strategy space S_i forms the path polytope $\mathcal{X}_i = \operatorname{conv}(S_i)$. This polytope is included in a subspace of \mathbb{R}^m of dimension $m_i - n_i + 2$, where $n_i = |V_i|$. Indeed, for each node $v \in V \setminus \{s_i, t_i\}$, we can pick one outgoing edge $e_v^* \in \operatorname{out}(v)$ such that for any $x \in \mathcal{P}_i$, we have

$$x_{e_v^*} = \sum_{e \in \text{in}(v)} x_e - \sum_{e \in \text{out}(v), e \neq e_v^*} x_e$$

$$\tag{2}$$

Algorithm 3 Bandit Gradient Descent with Caratheodory Exploration and Bounded Away polytopes (Agent's i perspective) for DAGs

- 1: **Input:** Step size sequence $(\gamma_t)_t$, bias coefficients $(\mu_t)_t$, a constant ϑ .
- 2: Agent *i* computes a 1-barycentric spanner $\mathcal{B} = \{b_1, \ldots, b_s\}$ with Algorithm 4.
- 3: Agent *i* selects an arbitrary $x_i^1 \in \mathcal{X}_i$.
- 4: for each round $t = 1, \ldots, T$ do
- 5: Agent *i* sets $x_i^t = B_i \alpha_i^t$.
- 6: Agent *i* samples $p_i^t \sim \pi_i^t$ where $\pi_i^t = \text{CaratheodoryDistribution}(x_i^t; \mu_t, \mathcal{B})$ (Algorithm 1).
- 7: Agent i suffers cost,

 $l_i^t := \langle c^t, p_i^t \rangle$

- 8: Agent *i* sets $\hat{c}^t \leftarrow l_i^t \cdot M_{i,t}^+ p_i^t$ where $M_{i,t} = \mathbb{E}_{v \sim \pi_i^t} [vv^\top]$.
- 9: Agent *i* updates α_i^{t+1} as,

$$\alpha_i^{t+1} = \Pi_{\mathcal{D}_i^{\mu_{t+1}}} \left(\alpha_i^t - \gamma_t B_i^T \hat{c}^t \right)$$

10: end for

for all $v \in V \setminus \{s_i, t_i\}$. These equations come from reasoning about flow preservation. Consequently, \mathcal{X}_i belongs to the intersection of $n_i - 2$ hyperplanes, which is of dimension at most $m_i - n_i + 2$. In other words, although the strategy space is of dimension m_i , the degrees of freedom are restricted by the graph structure as some coordinates are redundant and predictable from other coordinates (see (2)). We single out these redundant edges in the following definition.

Definition 14. For all $v \in V_i \setminus \{s_i, t_i\}$ (i.e all nodes except the blue and termination nodes), we arbitrarily pick one edge denoted $e_v^* \in out(v)$ that will be referred to as a blue edge.

The remaining edges will be referred to as a red edges. These red edges will aid us in constructing a 1-spanner. Indeed, from equation (2), we can see that the coordinates corresponding to blue edges can be determined by the values at the red edges.

4.3.2 Basis construction

In order to construct the basis, we first need to perform a *topological ordering* of the nodes. A topological ordering of the nodes of a graph is a total ordering of the nodes such that for every directed edge with source vertex $u \in V$ and destination vertex $v \in V$, the node u comes before v in the ordering. We will use the < symbol to denote such an ordering.

Let $v_1 = s_i, v_2, \ldots, v_n = t_i$ be a topological ordering of the nodes of G_i . This induces a topological ordering on the edges (sorted according to their origin node). We will construct a 1-spanner for \mathcal{X}_i following this ordering. The following simple lemma about blue paths will be essential.

Definition 15 (Blue path). A path in G_i is said to be a blue path if consists entirely of blue edges.

Lemma 3 (Blue path lemma). For any node $v_k \in V_i \setminus \{s_i\}$, there exists a blue path connecting v_k to $v_n = t_i$.

Proof. We proceed by induction on the topological ordering. For v_{n-1} , we pick a blue outgoing edge. By definition of a topological ordering, the chosen edge will necessarily lead to $v_n = t_i$.

Now let $k \in [2, n-2]$ and assume that the lemma holds for all for l > k. We consider the node v_k and pick an outgoing blue edge. It will lead to a node v_l with l > k. By induction hypothesis, there exists a path connecting v_l to t_i that only consists of blue edges. Concatenating the picked outgoing edge with this path yields the result for v_k so the lemma holds for k.

We now have all the tools needed for the construction of the basis b_1, \ldots, b_s where $s = m_i - n_i + 2$ is the total number of red edges. We provide the procedure in Algorithm 4.

Proposition 1 (Prefix property). Consider a covering basis generated by Algorithm 4. Let $e_k < e_l$ be two red edges. If e_k and e_l are connected in $G(V_i, E_i)$, then $Prefix(k) \neq Prefix(l)$ where Prefix is the value set at lines 8 and 13 of Algorithm 4.

Algorithm 4 Edge covering basis

1: Input: Red edges e_1, \ldots, e_s in topological order. 2: Basis $\leftarrow \emptyset$ 3: for h = 1 to s do Let $p_{e_h \to t_i}$ be a blue path connecting dest (e_h) to t_i (given by Lemma 3). 4:for k = h - 1 to 1 do 5:if there exists a path $p_{k\to h}$ joining dest (e_k) to source (e_h) then 6: Set $b_h \leftarrow \operatorname{Truncate}(b_k, e_k) \mid p_{k \to h} \mid p_{e_h \to t_i}$ 7: 8: Set $\operatorname{Prefix}(h) \leftarrow k$ break 9: end if 10: end for 11:12:if there is no preceding red edge connected to e_h then Let $p_{s_i \to e_h}$ be a blue path connecting s_i to dest (e_h) . 13:Set $b_h \leftarrow p_{s_i \rightarrow e_h} \mid p_{e_h \rightarrow t_i}$ 14: Set $\operatorname{Prefix}(h) \leftarrow \bot$ 15:end if 16: Basis \leftarrow Basis $\cup \{b_h\}$ 17:18: end for 19: return Basis

Proof. Suppose $i = \operatorname{Prefix}(k) = \operatorname{Prefix}(l)$. Then by construction $e_i < e_k < e_l$. On the other hand, since the prefixes are set in reverse topological order and e_k and e_l are connected, we must have $\operatorname{Prefix}(l) \ge k$. A contradiction.

This prefix property is the central ingredient needed to prove that the generated basis is a 1-barycentric spanner. We show this formally in the following theorem.

Theorem 10 (1-Spanner). Let b_1, \ldots, b_s be the covering basis generated by Algorithm (4). For any $x \in \mathcal{X}_i$, there exists $\alpha \in \mathbb{R}^s$ such that

$$x = \sum_{h=1}^{s} \alpha_h b_i \qquad and \ \alpha_h^2 \le 1$$

Proof. It suffices to prove the result for $x \in S_i$, the extreme points of \mathcal{X}_i . Let $r_x = \text{Red}(x) \in \mathbb{R}^s$ where Red is the linear operator selecting the coordinates corresponding to the red edges. Correspondingly, let us define r_1, \ldots, r_s such that

$$r_h = \operatorname{Red}(b_h)$$

for h = 1, ..., s. Observe that the canonical basis vectors $v_1, ..., v_s$ of \mathbb{R}^s can be expressed as

$$v_h = r_h - r_{\text{Prefix}(h)}$$

for $h = 1, \ldots, s$, and taking $r_{\perp} = 0_s$. Consequently,

$$r_x = \sum_{h \in r_x} v_h = \sum_{h \in r_x} \left(r_h - r_{\texttt{Prefix}(h)} \right) = \sum_{h=1}^{3} \alpha_h r_h$$

for some $\alpha \in \mathbb{R}^s$. Now it remains to prove that $|\alpha_h| \leq 1$. We know, by the prefix property 1, that the mapping $\operatorname{Prefix} : \{h : h \in r_x\} \to [s-1] \cup \{\bot\}$ is injective since the edges in $\{h : h \in r_x\}$ are connected. In other words, there are no duplicates in $\{\operatorname{Prefix}(h), h \in r_x\}$. We express r_x in the following convenient form.

$$r_x = \sum_{h \in r_x} r_h - \sum_{h \in \{\texttt{Prefix}(h), h \in r_x\}} r_h$$

With this, we can reason on a case by case basis for each coordinate as follows. Let $h \in [s]$. We first consider the case where $h \in r_x$. Since there are no duplicates, if we also have that $h \in {\tt Prefix}(h), h \in r_x$, then $\alpha_h = 0$ otherwise $\alpha_h = 1$. Similarly, if $h \notin r_x$, then we either have $h \in \{\operatorname{Prefix}(h), h \in r_x\}$ in which case $\alpha_h = -1$ or if not $\alpha_h = 0$. We thus find that $\alpha_h^2 \leq 1$. Now to conclude, we know from (2) that there exists a linear operator Fill: $\mathbb{R}^s \to \mathbb{R}^m$ that *fills* in the values of the blue edges from the coordinate values of the red edges, hence $x = \operatorname{Fill}(\operatorname{Red}(x))$, which yields,

$$x = \operatorname{Fill}\left[\sum_{h=1}^{s} \alpha_h r_h\right] = \sum_{h=1}^{s} \alpha_h \operatorname{Fill}\left[r_h\right] = \sum_{h=1}^{s} \alpha_h b_h.$$

5 Proof sketches

In this section we provide the basic steps for establishing Theorem 6 and Theorem 7.

5.1 Regret analysis

The main observation needed to prove Theorem 1 is to notice that at Step 8 of Algorithm 2 the sequence $\alpha_i^{1:T}$ is obtained performing a close variant of Online Gradient Descent (OGD) on the sequence of gradient estimates $B^{\top} \hat{c}^{1:T}$. The subtle difference here is that the projection is done on $\mathcal{D}_i^{\mu_t}$, a time varying polytope. Luckily, a small variation in the analysis allows us to establish a guarantee similar to that of online gradient descent with an added μ_t dependent term.

We first slightly expand the definition of regret to include a fixed comparator $u \in \mathcal{X}_i$. We define the regret with respect to a comparator as follows

$$\mathcal{R}\left(p_{i}^{1:T}, c^{1:T}; u\right) := \sum_{t=1}^{T} \left\langle c^{t}, p_{i}^{t} - u \right\rangle$$

It is easy to see that the regret defined earlier is obtained by taking the comparator $u^* = \min_{u \in S_i} \sum_{t=1}^T \langle c^t, u \rangle$, which is the best fixed action in hindsight. With this extended notion of regret, we can prove the following result on the approximate online gradient descent scheme performed by our algorithm.

Lemma 4 (Moving OGD). Let $x_i^{1:T}$ and $\hat{c}_i^{1:T}$ be the sequences produced by Algorithm 2,

$$\mathcal{R}\left(x_{i}^{1:T}, \hat{c}^{1:T}; u\right) \leq \frac{2m}{\gamma_{T}} + 2\sum_{t=1}^{T} \gamma_{t} \|\hat{c}^{t}\|_{2}^{2} + 2mc_{\max} \sum_{t=1}^{T} \mu_{t}.$$
(3)

Now for us to use this result to control the regret of the algorithm, we have to pay attention to the following two points. First, the algorithm is not playing $x_i^{1:T}$ but rather the samples $p_i^{1:T}$ and, second, it is incurring costs with respect to $c^{1:T}$ and not $\hat{c}^{1:T}$. The regret of the algorithm is therefore measured by $\mathcal{R}\left(p_i^{1:T}, c^{1:T}; u\right)$. We have to relate this quantity to the regret of bounded in Lemma 4. This can be done in two steps. The first is going from the samples $p_i^{1:T}$ to the marginalizations $x_i^{1:T}$.

Lemma 5 (First concentration lemma). Let $p_i^1, \ldots, p_i^T \in \mathcal{P}_i$ be the sequences of strategies produced by Algorithm 2 for the sequence of costs c^1, \ldots, c^T . We have with probability $1 - \delta$,

$$\mathcal{R}\left(p_i^{1:T}, c^{1:T}; u\right) \le \mathcal{R}\left(x_i^{1:T}, c^{1:T}; u\right) + c_{\max} m \sqrt{T \log\left(\frac{1}{\delta}\right)}.$$
(4)

All that remains now is swapping the cost vectors from the true $c^{1:T}$ to the estimated $\hat{c}^{1:T}$, which can be achieved by invoking a second concentration argument.

Lemma 6 (Second concentration lemma). Let $\hat{c}^1, \ldots, \hat{c}^T$ the sequence produced in Step 7 of Algorithm 2 run on the sequence of costs c^1, \ldots, c^T . Then with probability $1 - \delta$,

$$\mathcal{R}\left(x_{i}^{1:T}, c^{1:T}; u\right) \le \mathcal{R}\left(x_{i}^{1:T}, \hat{c}^{1:T}; u\right) + m^{3} c_{\max} \vartheta^{3/2} \sqrt{\sum_{t=1}^{T} \frac{1}{\mu_{t}^{2}} \log(1/\delta)}.$$
(5)

Now to prove Theorem 6, it suffices to simply plug (5) inside (4) to upper bound the regret of the algorithm with the regret of online gradient descent. Then, invoking Lemma 4 which controls the regret of the latter, we can obtain bound on the regret of the algorithm with respect to a comparator $u \in \mathcal{X}_i$. To conclude and obtain 6, a simple union bound over all $u \in \mathcal{X}_i$ yields the result. We detail the proof in Appendix B.

5.2 Convergence to Nash (Proof of Theorem 7)

In this section, we prove Theorem 7. We will be using the fact that congestion games always admit a *potential* function [65] capturing the change in cost when a sole agent alters its strategy. The potential function of congestion games is given by the following function.

Theorem 11. The potential function $\Phi : S \to \mathbb{R}_+$ given by $\Phi(p) = \sum_e \sum_{i=1}^{\ell_e(p)} c_e(i)$, has the property that $C_i(p'_i, p_{-i}) - C_i(p_i, p_{-i}) = \Phi(p'_i, p_{-i}) - \Phi(p_i, p_{-i}).$

The key observation here is that the potential function is a *shared* function that measures the change in cost when any agent deviates from a joint profile. This same function also captures the change in *expected* cost once it is viewed as a function over the polytope $\mathcal{X} \triangleq \mathcal{X}_1 \times \cdots \times \mathcal{X}_n$.

Definition 16. The function $\Phi : \mathcal{X} \to \mathbb{R}_+$, defined as $\Phi(x) = \sum_{\mathcal{S} \subseteq [n]} \prod_{j \in \mathcal{S}} x_{je} \prod_{j \notin \mathcal{S}} (1 - x_{je}) \sum_{\ell=0}^{|\mathcal{S}|} c_e(\ell)$ verifies

$$C_i(\pi_i, \pi_{-i}) - C_i(\pi'_i, \pi_{-i}) = \Phi(x_i, x_{-i}) - \Phi(x'_i, x_{-i})$$

for any $\pi \in \Delta(\mathcal{S}_1) \times \cdots \times \Delta(\mathcal{S}_n)$, with marginilization $x \in \mathcal{X}$, and any $i \in [n]$, where $\pi'_i \in \Delta(\mathcal{S}_i)$, with marginalization x'_i .

The function Φ is not convex over \mathcal{X} but it is smooth making it friendly to gradient based optimization. We can show that the function Φ is differentiable and its gradient $\nabla \Phi$ is Lipschitz continuous with constant $(2n^2\sqrt{m}c_{\max})$. However, since we operate in the basis polytope \mathcal{D} , we are interested in the function $\tilde{\Phi}$ defined as

$$\Phi: \alpha \mapsto \Phi(B\alpha),$$

where B is the block diagonal matrix with B_1, \ldots, B_n as its diagonal elements. This function inherits all the nice properties of Φ up to some additional factors. Indeed with a simple computation, we can show the following result.

Proposition 2. The function $\tilde{\Phi}$ is $\frac{1}{\lambda}$ -smooth with $\lambda = (2n^2m^{7/2}c_{\max})^{-1}$.

Stationary points of Φ correspond to Nash equilibria [65], thus making the function Φ the essential tool used for proving our result. Indeed in the sequel we technically prove convergence to stationary points of the potential function. Stationary points are defined as follows.

Definition 17 (Stationarity). A point $\alpha \in \mathcal{D}^{\mu}$ is called an (ϵ, μ) -stationary point if

$$G^{\mu}(\alpha) \triangleq \left\| \alpha - \Pi_{\mathcal{D}^{\mu}} \left[\alpha - \frac{\lambda}{2} \nabla \tilde{\Phi}(\alpha) \right] \right\|_{2} \leq \epsilon.$$

Given an (ϵ, μ) -stationary point α , then any mixed strategy with marginalization $x = B\alpha$ is an approximate mixed Nash equilibrium. We formalize this in the following result.

Proposition 3 (From Stationarity to Nash). Let $\pi \in \Delta(S_1) \times \cdots \times \Delta(S_n)$. Let $x \in \mathcal{X}$ be the marginalization of π . If $x = B\alpha$, with $\alpha \in \mathcal{D}$ an (ϵ, μ) -stationary point, then π is a $4n^{2.5}m^4c_{\max}(\epsilon + \mu)$ -mixed Nash equilibrium.

We have thus reduced the problem of finding mixed nash equilibria to that of finding stationary points of $\tilde{\Phi}$. We will find such stationary points by studying the joint vector of the iterates. We initiate our study by recalling the notation of the joint strategies of the players. For each $t \in [T]$, we collect each player's iterates in one vector in \mathcal{D} defined as

$$\alpha^t \triangleq \left[\alpha_1^t, \dots, \alpha_n^t\right]$$

It is easy to see that when all players play according to Algorithm 2, the produced sequence of vectors $\alpha^1, \ldots, \alpha^T$ verifies

$$\alpha^{t+1} = \Pi_{\mathcal{D}^{\mu_{t+1}}} \left[\alpha^t - \gamma_t \cdot \nabla_t \right] \tag{6}$$

where $\nabla_t \triangleq \left[B_1^\top \hat{c}_1^t, \ldots, B_n^\top \hat{c}_n^t\right]$. It turns out that that ∇_t is an estimator for $\nabla \tilde{\Phi}$ as shown by the following lemma.

Lemma 7 (Estimator property). Let $t \in [T]$ and \mathcal{F}_t be the sigma-field generated by $\alpha_1, \ldots, \alpha_t$. It holds that

- 1. $\mathbb{E}_t[\nabla_t] = \nabla \tilde{\Phi}(\alpha^t),$
- 2. $\mathbb{E}_t[\|\nabla_t\|_2^2] \leq \frac{nm^4c_{\max}^2}{\mu_t}$

where $\mathbb{E}_t [\cdot] \triangleq \mathbb{E} [\cdot | \mathcal{F}_t].$

Our goal will be to show that the sequence $\alpha^1, \ldots, \alpha^T$ visits a point with a small stationarity gap. To prove this, the time varying Moreau envelope $M^t_{\chi \tilde{\Phi}}$ of $\tilde{\Phi}$, defined as

$$M^t_{\lambda \tilde{\Phi}}(\alpha) \triangleq \min_{y \in \mathcal{D}^{\mu_t}} \left\{ \tilde{\Phi}(y) + \frac{1}{\lambda} \|\alpha - y\|_2^2 \right\},$$

will play a central role as is shown by the following lemma.

Lemma 8 (Gap control). Let $G^t(\alpha) := \|\Pi_{\mathcal{D}^{\mu_t}} \left[\alpha - \frac{\lambda}{2} \nabla \tilde{\Phi}(\alpha)\right] - x\|_2$ denote the μ_t -stationarity gap. We have that for any $\alpha \in \mathcal{D}^{\mu_t}$,

$$G^t(\alpha) \le \lambda \|\nabla M^t_{\lambda \tilde{\Phi}}(\alpha)\|_2$$

Controlling the stationarity gap of an iterate therefore boils down to bounding the norm of the gradient of $M^t_{\lambda\tilde{\Phi}}$ along the sequence. By observing that the update rule (6) closely corresponds to performing stochastic gradient descent step on $M^t_{\lambda\tilde{\Phi}}$, we are able to show the following result.

Theorem 12 (Stochastic gradient descent). Consider the sequence $\alpha^1, \ldots, \alpha^T$ produced by Equation 6. Then,

$$\frac{1}{T} \sum_{t=1}^{T} \mathbb{E} \left[\|\nabla M_{\lambda \tilde{\Phi}}^{t}(\alpha^{t})\|_{2} \right] \leq 2n^{1.5} \sqrt{\frac{2m^{1.5}c_{\max}}{\gamma_{T}T} + \frac{n^{3}m^{7.5}}{\gamma_{T}T}} \sum_{t=1}^{T} \frac{\gamma_{t}^{2}}{\mu_{t}}$$

In order to obtain Theorem 7, it suffices to combine the stochastic gradient descent result in Theorem 12 with Lemma 8 and observe that the sequence of iterates visits a point with a small stationarity gap. Combining this with proposition 3 which relates stationarity to Nash equilibria yields the result. We provide a complete proof in section C.2.

6 Conclusion

This work introduces an online learning algorithm for general congestion games under the bandit feedback model. Our algorithm ensures no-regret for any agent adopting it and, when embraced collectively by all agents in congestion games, it drives the game dynamics towards an ϵ -approximate Nash Equilibrium within poly $(n, m, 1/\epsilon)$ rounds. Our results resolves an open query from [29] while extending the recent results of [68] into the bandit framework. For the important special case of Network Congestion Games on DAGs, we provide an implementation of our algorithm that operates in polynomial time. The design of polynomial-time bandit no-regret algorithms, with comparable convergence guarantees for a broader class of congestion games, remains an intriguing future research direction.

References

- [1] Jacob D Abernethy, Elad Hazan, and Alexander Rakhlin. "Competing in the dark: An efficient algorithm for bandit linear optimization". In: (2009).
- [2] Ioannis Anagnostides et al. "Near-optimal no-regret learning for correlated equilibria in multi-player general-sum games". In: STOC '22: 54th Annual ACM SIGACT Symposium on Theory of Computing, Rome, Italy, June 20 - 24, 2022. Ed. by Stefano Leonardi and Anupam Gupta. ACM, 2022, pp. 736– 749.

- [3] Ioannis Anagnostides et al. "On Last-Iterate Convergence Beyond Zero-Sum Games". In: International Conference on Machine Learning, ICML 2022, 17-23 July 2022, Baltimore, Maryland, USA. Vol. 162. Proceedings of Machine Learning Research. PMLR, 2022, pp. 536–581.
- [4] Ioannis Anagnostides et al. "Uncoupled Learning Dynamics with $O(\log T)$ Swap Regret in Multiplayer Games". In: *NeurIPS*. 2022.
- [5] Haris Angelidakis, Dimitris Fotakis, and Thanasis Lianeas. "Stochastic Congestion Games with Risk-Averse Players". In: Algorithmic Game Theory - 6th International Symposium, SAGT 2013, Aachen, Germany, October 21-23, 2013. Proceedings. Ed. by Berthold Vöcking. Vol. 8146. Lecture Notes in Computer Science. Springer, 2013, pp. 86–97.
- [6] Sanjeev Arora, Elad Hazan, and Satyen Kale. "The Multiplicative Weights Update Method: a Meta-Algorithm and Applications". In: *Theory Comput.* 8.1 (2012), pp. 121–164.
- Jean-Yves Audibert and Sébastien Bubeck. "Minimax Policies for Adversarial and Stochastic Bandits". In: COLT 2009 - The 22nd Conference on Learning Theory. 2009.
- [8] Jean-Yves Audibert, Sébastien Bubeck, and Gábor Lugosi. "Regret in Online Combinatorial Optimization". In: Math. Oper. Res. 39.1 (Feb. 2014), pp. 31–45.
- [9] Peter Auer et al. "The Nonstochastic Multiarmed Bandit Problem". In: SIAM J. Comput. 32.1 (2002), pp. 48–77.
- [10] Baruch Awerbuch and Robert D Kleinberg. "Adaptive routing with end-to-end feedback: Distributed learning and geometric approaches". In: Proceedings of the thirty-sixth annual ACM symposium on Theory of computing. 2004, pp. 45–53.
- [11] Baruch Awerbuch and Robert D. Kleinberg. "Adaptive Routing with End-to-End Feedback: Distributed Learning and Geometric Approaches". In: Proceedings of the Thirty-Sixth Annual ACM Symposium on Theory of Computing. STOC '04. Chicago, IL, USA, 2004, pp. 45–53.
- [12] Yakov Babichenko and Aviad Rubinstein. "Communication complexity of Nash equilibrium in potential games (extended abstract)". In: 61st IEEE Annual Symposium on Foundations of Computer Science, FOCS 2020, Durham, NC, USA, November 16-19, 2020. Ed. by Sandy Irani. IEEE, 2020, pp. 1439– 1445.
- [13] Gábor Braun and Sebastian Pokutta. An efficient high-probability algorithm for Linear Bandits. arXiv:1610.02072
 [cs]. Oct. 2016.
- [14] Sébastien Bubeck, Nicolò Cesa-Bianchi, and Sham M. Kakade. "Towards Minimax Policies for Online Linear Optimization with Bandit Feedback". In: COLT 2012 - The 25th Annual Conference on Learning Theory, June 25-27, 2012, Edinburgh, Scotland. Ed. by Shie Mannor, Nathan Srebro, and Robert C. Williamson. Vol. 23. JMLR Proceedings. JMLR.org, 2012, pp. 41.1–41.14.
- [15] Ioannis Caragiannis and Angelo Fanelli. "On Approximate Pure Nash Equilibria in Weighted Congestion Games with Polynomial Latencies". In: 46th International Colloquium on Automata, Languages, and Programming, ICALP 2019, July 9-12, 2019, Patras, Greece. Ed. by Christel Baier et al. Vol. 132. LIPIcs. Schloss Dagstuhl - Leibniz-Zentrum für Informatik, 2019, 133:1–133:12.
- [16] Ioannis Caragiannis and Zhile Jiang. "Computing Better Approximate Pure Nash Equilibria in Cut Games via Semidefinite Programming". In: Proceedings of the 55th Annual ACM Symposium on Theory of Computing, STOC 2023, Orlando, FL, USA, June 20-23, 2023. Ed. by Barna Saha and Rocco A. Servedio. ACM, 2023, pp. 710–722.
- [17] Ioannis Caragiannis et al. "Approximate pure nash equilibria in weighted congestion games: existence, efficient computation, and structure". In: Proceedings of the 13th ACM Conference on Electronic Commerce, EC 2012, Valencia, Spain, June 4-8, 2012. Ed. by Boi Faltings, Kevin Leyton-Brown, and Panos Ipeirotis. ACM, 2012, pp. 284–301.
- [18] Ioannis Caragiannis et al. "Efficient Computation of Approximate Pure Nash Equilibria in Congestion Games". In: IEEE 52nd Annual Symposium on Foundations of Computer Science, FOCS 2011, Palm Springs, CA, USA, October 22-25, 2011. Ed. by Rafail Ostrovsky. IEEE Computer Society, 2011, pp. 532-541.

- [19] Constantin Carathéodory. "Über den Variabilitätsbereich der Koeffizienten von Potenzreihen, die gegebene Werte nicht annehmen". In: Mathematische Annalen 64.1 (1907), pp. 95–115.
- [20] Nicolo Cesa-Bianchi and Gábor Lugosi. "Combinatorial bandits". In: Journal of Computer and System Sciences 78.5 (2012), pp. 1404–1422.
- [21] Nicolò Cesa-Bianchi and Gábor Lugosi. "Combinatorial bandits". In: J. Comput. Syst. Sci. 78.5 (2012), pp. 1404–1422.
- [22] Po-An Chen and Chi-Jen Lu. "Generalized mirror descents in congestion games". In: Artificial Intelligence 241 (2016), pp. 217–243.
- [23] Liyu Chen, Haipeng Luo, and Chen-Yu Wei. "Impossible tuning made possible: A new expert algorithm and its applications". In: *Conference on Learning Theory*. PMLR. 2021, pp. 1216–1259.
- [24] Steve Chien and Alistair Sinclair. "Convergence to approximate Nash equilibria in congestion games". In: Proceedings of the Eighteenth Annual ACM-SIAM Symposium on Discrete Algorithms, SODA 2007, New Orleans, Louisiana, USA, January 7-9, 2007. Ed. by Nikhil Bansal, Kirk Pruhs, and Clifford Stein. SIAM, 2007, pp. 169–178.
- [25] G Christodoulou and E. Koutsoupias. "The Price of Anarchy of Finite Congestion Games". In: STOC (2005), pp. 67–73.
- [26] George Christodoulou et al. "Existence and Complexity of Approximate Equilibria in Weighted Congestion Games". In: Math. Oper. Res. 48.1 (2023), pp. 583–602.
- [27] Johanne Cohen, Amélie Héliou, and Panayotis Mertikopoulos. "Hedging Under Uncertainty: Regret Minimization Meets Exponentially Fast Convergence". In: Algorithmic Game Theory - 10th International Symposium, SAGT 2017, L'Aquila, Italy, September 12-14, 2017, Proceedings. Ed. by Vittorio Bilò and Michele Flammini. Vol. 10504. Lecture Notes in Computer Science. Springer, 2017, pp. 252– 263.
- [28] Patrick L Combettes and Jean-Christophe Pesquet. "Proximal splitting methods in signal processing". In: Fixed-point algorithms for inverse problems in science and engineering (2011), pp. 185–212.
- [29] Qiwen Cui et al. Learning in Congestion Games with Bandit Feedback. 2022.
- [30] Varsha Dani, Thomas P. Hayes, and Sham M. Kakade. "The Price of Bandit Information for Online Optimization". In: Proceedings of the 20th International Conference on Neural Information Processing Systems. NIPS'07. Vancouver, British Columbia, Canada: Curran Associates Inc., 2007, pp. 345–352. ISBN: 9781605603520.
- [31] Varsha Dani, Sham M Kakade, and Thomas Hayes. "The price of bandit information for online optimization". In: Advances in Neural Information Processing Systems 20 (2007).
- [32] Constantinos Daskalakis, Maxwell Fishelson, and Noah Golowich. "Near-Optimal No-Regret Learning in General Games". In: Advances in Neural Information Processing Systems 34: Annual Conference on Neural Information Processing Systems 2021, NeurIPS 2021, December 6-14, 2021, virtual. Ed. by Marc'Aurelio Ranzato et al. 2021, pp. 27604–27616.
- [33] Dongsheng Ding et al. "Independent Policy Gradient for Large-Scale Markov Potential Games: Sharper Rates, Function Approximation, and Game-Agnostic Convergence". In: International Conference on Machine Learning, ICML 2022, 17-23 July 2022, Baltimore, Maryland, USA. Ed. by Kamalika Chaudhuri et al. Vol. 162. Proceedings of Machine Learning Research. PMLR, 2022, pp. 5166–5220.
- [34] Eyal Even-Dar, Yishay Mansour, and Uri Nadav. "On the convergence of regret minimization dynamics in concave games". In: Proceedings of the 41st Annual ACM Symposium on Theory of Computing, STOC 2009, Bethesda, MD, USA, May 31 - June 2, 2009. Ed. by Michael Mitzenmacher. ACM, 2009, pp. 523–532.
- [35] A. Fabrikant, C. Papadimitriou, and K. Talwar. "The complexity of pure Nash equilibria". In: ACM Symposium on Theory of Computing (STOC). ACM. 2004, pp. 604–612.
- [36] Gabriele Farina et al. "Near-Optimal No-Regret Learning Dynamics for General Convex Games". In: *NeurIPS*. 2022.

- [37] Abraham D Flaxman, Adam Tauman Kalai, and H Brendan McMahan. "Online convex optimization in the bandit setting: gradient descent without a gradient". In: *arXiv preprint cs/0408007* (2004).
- [38] Dimitris Fotakis, Dimitris Kalimeris, and Thanasis Lianeas. "Improving Selfish Routing for Risk-Averse Players". In: Web and Internet Economics - 11th International Conference, WINE 2015, Amsterdam, The Netherlands, December 9-12, 2015, Proceedings. Ed. by Evangelos Markakis and Guido Schäfer. Vol. 9470. Lecture Notes in Computer Science. Springer, 2015, pp. 328–342.
- [39] Dimitris Fotakis, Alexis C. Kaporis, and Paul G. Spirakis. "Atomic Congestion Games: Fast, Myopic and Concurrent". In: Algorithmic Game Theory, First International Symposium, SAGT 2008, Paderborn, Germany, April 30-May 2, 2008. Proceedings. Ed. by Burkhard Monien and Ulf-Peter Schroeder. Vol. 4997. Lecture Notes in Computer Science. Springer, 2008, pp. 121–132.
- [40] Dimitris Fotakis, Alexis C. Kaporis, and Paul G. Spirakis. "Efficient Methods for Selfish Network Design". In: Automata, Languages and Programming, 36th International Colloquium, ICALP 2009, Rhodes, Greece, July 5-12, 2009, Proceedings, Part II. Ed. by Susanne Albers et al. Vol. 5556. Lecture Notes in Computer Science. Springer, 2009, pp. 459–471.
- [41] Dimitris Fotakis, Spyros Kontogiannis, and Paul Spirakis. "Selfish unsplittable flows". In: *Theoretical Computer Science* 348.2–3 (2005). Automata, Languages and Programming: Algorithms and Complexity (ICALP-A 2004)Automata, Languages and Programming: Algorithms and Complexity 2004, pp. 226–239. ISSN: 0304-3975.
- [42] Dimitris Fotakis et al. "Node-Max-Cut and the Complexity of Equilibrium in Linear Weighted Congestion Games". In: 47th International Colloquium on Automata, Languages, and Programming, ICALP 2020, July 8-11, 2020, Saarbrücken, Germany (Virtual Conference). Ed. by Artur Czumaj, Anuj Dawar, and Emanuela Merelli. Vol. 168. LIPIcs. Schloss Dagstuhl - Leibniz-Zentrum für Informatik, 2020, 50:1– 50:19.
- [43] Dimitris Fotakis et al. "On the Hardness of Network Design for Bottleneck Routing Games". In: Algorithmic Game Theory - 5th International Symposium, SAGT 2012, Barcelona, Spain, October 22-23, 2012. Proceedings. Ed. by Maria J. Serna. Vol. 7615. Lecture Notes in Computer Science. Springer, 2012, pp. 156–167.
- [44] Martin Gairing et al. "Computing Nash equilibria for scheduling on restricted parallel links". In: Proceedings of the 36th Annual ACM Symposium on Theory of Computing, Chicago, IL, USA, June 13-16, 2004. Ed. by László Babai. ACM, 2004, pp. 613–622.
- [45] Yiannis Giannakopoulos, Georgy Noarov, and Andreas S. Schulz. "Computing Approximate Equilibria in Weighted Congestion Games via Best-Responses". In: Math. Oper. Res. 47.1 (2022), pp. 643–664.
- [46] Yiannis Giannakopoulos and Diogo Poças. "A Unifying Approximate Potential for Weighted Congestion Games". In: Theory Comput. Syst. 67.4 (2023), pp. 855–876.
- [47] Martin Grötschel, László Lovász, and Alexander Schrijver. Geometric Algorithms and Combinatorial Optimization. Vol. 2. Algorithms and Combinatorics. Springer, 1988.
- [48] András György et al. "The On-Line Shortest Path Problem Under Partial Monitoring". In: J. Mach. Learn. Res. 8 (2007), pp. 2369–2403.
- [49] András György et al. "The On-Line Shortest Path Problem Under Partial Monitoring." In: Journal of Machine Learning Research 8.10 (2007).
- [50] Elad Hazan. "Introduction to Online Convex Optimization". In: CoRR abs/1909.05207 (2019).
- [51] Amélie Heliou, Johanne Cohen, and Panayotis Mertikopoulos. "Learning with Bandit Feedback in Potential Games". In: Advances in Neural Information Processing Systems. Vol. 30. Curran Associates, Inc., 2017.
- [52] Tim Hoheisel, Maxime Laborde, and Adam Oberman. "On proximal point-type algorithms for weakly convex functions and their connection to the backward euler method". In: *Optimization Online ()* ().
- [53] Yu-Guan Hsieh et al. "No-regret learning in games with noisy feedback: Faster rates and adaptivity via learning rate separation". In: NeurIPS. 2022.

- [54] Adam Kalai and Santosh Vempala. "Efficient algorithms for online decision problems". In: Journal of Computer and System Sciences 71.3 (2005). Learning Theory 2003, pp. 291–307. ISSN: 0022-0000.
- [55] Bart de Keijzer, Guido Schäfer, and Orestis A. Telelis. "On the Inefficiency of Equilibria in Linear Bottleneck Congestion Games". English. In: *Algorithmic Game Theory*. Ed. by Spyros Kontogiannis, Elias Koutsoupias, and PaulG. Spirakis. Vol. 6386. Lecture Notes in Computer Science. Springer Berlin Heidelberg, 2010, pp. 335–346. ISBN: 978-3-642-16169-8.
- [56] Pieter Kleer. "Sampling from the Gibbs Distribution in Congestion Games". In: EC '21: The 22nd ACM Conference on Economics and Computation, Budapest, Hungary, July 18-23, 2021. Ed. by Péter Biró, Shuchi Chawla, and Federico Echenique. ACM, 2021, pp. 679–680.
- [57] Pieter Kleer and Guido Schäfer. "Computation and efficiency of potential function minimizers of combinatorial congestion games". In: Math. Program. 190.1 (2021), pp. 523–560.
- [58] Elias Koutsoupias and Christos H. Papadimitriou. "Worst-case Equilibria". In: STACS. 1999, pp. 404–413.
- [59] Chung-Wei Lee et al. "Bias no more: high-probability data-dependent regret bounds for adversarial bandits and MDPs". In: Advances in Neural Information Processing Systems. Vol. 33. Curran Associates, Inc., 2020, pp. 15522–15533.
- [60] Stefanos Leonardos et al. "Global Convergence of Multi-Agent Policy Gradient in Markov Potential Games". In: International Conference on Learning Representations. 2022.
- [61] Marios Mavronicolas and Paul G. Spirakis. "The price of selfish routing". In: Proceedings on 33rd Annual ACM Symposium on Theory of Computing, July 6-8, 2001, Heraklion, Crete, Greece. Ed. by Jeffrey Scott Vitter, Paul G. Spirakis, and Mihalis Yannakakis. ACM, 2001, pp. 510–519.
- [62] H Brendan McMahan and Avrim Blum. "Online geometric optimization in the bandit setting against an adaptive adversary". In: Learning Theory: 17th Annual Conference on Learning Theory, COLT 2004, Banff, Canada, July 1-4, 2004. Proceedings 17. Springer. 2004, pp. 109–123.
- [63] Panayotis Mertikopoulos and Zhengyuan Zhou. "Learning in games with continuous action sets and unknown payoff functions". In: Math. Program. 173.1-2 (2019), pp. 465–507.
- [64] D. Monderer and L. S. Shapley. "Potential Games". In: Games and Economic Behavior (1996), pp. 124– 143.
- [65] Dov Monderer and Lloyd S Shapley. "Potential games". In: Games and economic behavior 14.1 (1996), pp. 124–143.
- [66] Gergely Neu and Gábor Bartók. "An Efficient Algorithm for Learning with Semi-bandit Feedback". In: Algorithmic Learning Theory - 24th International Conference, ALT 2013, Singapore, October 6-9, 2013. Proceedings. Ed. by Sanjay Jain et al. Vol. 8139. Lecture Notes in Computer Science. Springer, 2013, pp. 234–248.
- [67] Gerasimos Palaiopanos, Ioannis Panageas, and Georgios Piliouras. "Multiplicative Weights Update with Constant Step-Size in Congestion Games: Convergence, Limit Cycles and Chaos". In: Advances in Neural Information Processing Systems 30: Annual Conference on Neural Information Processing Systems 2017, December 4-9, 2017, Long Beach, CA, USA. 2017, pp. 5872–5882.
- [68] Ioannis Panageas et al. "Semi Bandit dynamics in Congestion Games: Convergence to Nash Equilibrium and No-Regret Guarantees." In: (2023).
- [69] Neal Parikh, Stephen Boyd, et al. "Proximal algorithms". In: Foundations and trends (R) in Optimization 1.3 (2014), pp. 127–239.
- [70] Georgios Piliouras, Ryann Sim, and Stratis Skoulakis. "Beyond Time-Average Convergence: Near-Optimal Uncoupled Online Learning via Clairvoyant Multiplicative Weights Update". In: NeurIPS. 2022.
- [71] Robert W Rosenthal. "A class of games possessing pure-strategy Nash equilibria". In: International Journal of Game Theory 2 (1973), pp. 65–67.
- [72] Tim Roughgarden. "Intrinsic robustness of the price of anarchy". In: Proc. of STOC. 2009, pp. 513–522.

- [73] Tim Roughgarden and Éva Tardos. "How bad is selfish routing?" In: Journal of the ACM (JACM) 49.2 (2002), pp. 236–259.
- [74] Yannick Viossat and Andriy Zapechelnyuk. "No-regret dynamics and fictitious play". In: Journal of Economic Theory 148.2 (2013), pp. 825–842. ISSN: 0022-0531.
- [75] Dong Quan Vu, Kimon Antonakopoulos, and Panayotis Mertikopoulos. "Fast Routing under Uncertainty: Adaptive Learning in Congestion Games via Exponential Weights". In: Advances in Neural Information Processing Systems 34: Annual Conference on Neural Information Processing Systems 2021, NeurIPS 2021, December 6-14, 2021, virtual. Ed. by Marc'Aurelio Ranzato et al. 2021, pp. 14708– 14720.
- [76] Zhengyuan Zhou et al. "Learning in Games with Lossy Feedback". In: Advances in Neural Information Processing Systems 31: Annual Conference on Neural Information Processing Systems 2018, NeurIPS 2018, December 3-8, 2018, Montréal, Canada. 2018, pp. 5140–5150.
- [77] Julian Zimmert and Tor Lattimore. "Return of the bias: Almost minimax optimal high probability bounds for adversarial linear bandits". en. In: Proceedings of Thirty Fifth Conference on Learning Theory. ISSN: 2640-3498. PMLR, June 2022, pp. 3285–3312.
- [78] Martin Zinkevich. "Online Convex Programming and Generalized Infinitesimal Gradient Ascent". In: Machine Learning, Proceedings of the Twentieth International Conference (ICML 2003), August 21-24, 2003, Washington, DC, USA. Ed. by Tom Fawcett and Nina Mishra. AAAI Press, 2003, pp. 928–936.
- [79] Martin Zinkevich. "Online Convex Programming and Generalized Infinitesimal Gradient Ascent". In: Machine Learning, Proceedings of the Twentieth International Conference (ICML 2003), August 21-24, 2003, Washington, DC, USA. Ed. by Tom Fawcett and Nina Mishra. AAAI Press, 2003, pp. 928–936.

Appendix

A Properties of the estimator \hat{c}^t

The central difficulty of *bandit* feedback lies in the construction of a low variance estimator for the unobserved cost vector c^t at each round $t \in [T]$. In what follows we prove two results on \hat{c}^t , the estimator constructed in step 7 of Algorithm 2 that will be instrumental to both the regret analysis and the convergence to equilibrium.

First we show that the estimator is bounded almost surely.

Lemma 9 (Bounded estimator). For any $t \in [T]$, the estimator $\hat{c}^t = l_i^t \cdot M_{i,t}^+ p_i^t$ is almost surely bounded and

$$\|B_i^\top \hat{c}^t\|_2 \le \vartheta \frac{m^{5/2}}{\mu_t} c_{\max}.$$

Proof. Let $i \in [n], t \in [T]$. Recall that $B_i \in \mathbb{R}^{m \times s}$ is the matrix whose columns are the *s* elements of the barycentric spanner. Let us write $M_{i,t}$ in a more convenient form. Recall that π_i^t is the Caratheodory distribution computed by Algorithm 1. It then follows (from step 3 in Algorithm 1) that

$$\pi_i^t = (1 - \mu_t)\tau_i^t + \mu_t\nu_i$$

where ν_i is the uniform distribution over the barycentric spanners and τ_i is the distribution supported on the Caratheodory decomposition. We can then express $M_{i,t}$ as follows.

$$M_{i,t} = \mathbb{E}_{u \sim \pi_i^t} [uu^{\top}]$$

= $(1 - \mu_t) \mathbb{E}_{u \sim \tau_i^t} [uu^{\top}] + \mu_t \mathbb{E}_{u \sim \nu_i} [uu^{\top}]$
= $(1 - \mu_t) B_i \left(\mathbb{E}_{u \sim \tau_i^t} [\alpha_u \alpha_u^{\top}] \right) B_i^{\top} + \frac{\mu_t}{s} B_i \left(\sum_{k=1}^s e_k e_k^{\top} \right) B_i^{\top}$
= $B_i N_{i,t} B_i^{\top}$

where we defined $N_{i,t} := (1 - \mu_t) \mathbb{E}_{u \sim \tau_i^t} \left[\alpha_u \alpha_u^\top \right] + \frac{\mu_t}{s} I_s$. Notice here that it is easy to see that $N_{i,t} \succeq \frac{\mu_t}{s} I_s$ which implies that

$$N_{i,t}^{+} \preceq \frac{s}{\mu_{t}} I_{s}. \tag{7}$$

Now, since B_i has independent columns, we have that

$$M_{i,t}^{+} = (B^{\top})^{+} N_{i,t}^{+} B^{+}$$
(8)

Moreover, we know there exists $\alpha_{i,t} \in \mathbb{R}^s$ such that $p_i^t = B\alpha_{i,t}$. With these in hand, let us analyze the estimator \hat{c}^t . We have that

$$\hat{c}^{t} = \left\langle c^{t}, p_{i}^{t} \right\rangle M_{i,t}^{+} p_{i}^{t} = \left\langle c^{t}, p_{i}^{t} \right\rangle M_{i,t}^{+} B \alpha_{i,t}$$

By plugging in (8), we find that

$$B_i^{\top} \hat{c}^t = \left\langle c^t, p_i^t \right\rangle N_{i,t}^+ \alpha_{i,t} \tag{9}$$

Consequently,

$$\left\|B_i^{\top} \hat{c}^t\right\| \le m c_{\max} \vartheta \frac{s^{3/2}}{\mu_t}$$

which allows us to conclude by using that using $s \leq m$.

Lemma 10 (Orthogonal Bias). For any $t \in [T]$, for any $x \in \mathcal{X}_i$,

$$\langle c^t - \mathbb{E}_{\pi_i^t}[\hat{c}^t], x \rangle = 0$$

Proof. Let $M = \mathbb{E}_{\pi_i^t} [pp^\top]$. Recall that $\hat{c}^t = M^+ p_i^t \langle p_i^t, c^t \rangle$. We have that

$$\mathbb{E}_{\pi_{i}^{t}}[\hat{c}^{t}] = M_{i,t}^{+} M_{i,t} c^{t} = \left(B_{i}^{\top}\right)^{+} B_{i}^{\top} c^{t}.$$

where the second equality is obtained using (8). It follows that for any $x \in \mathcal{X}_i$, which we know can be written $x = B_i \alpha_x$, we have that

$$\langle M_{i,t}^{+} M_{i,t} c^{t}, x \rangle = \left\langle \left(B_{i}^{\top} \right)^{+} B_{i}^{\top} c^{t}, x \right\rangle = \left\langle c, B_{i} B_{i}^{+} x \right\rangle$$
$$= \left\langle c, B_{i} B_{i}^{+} B_{i} \alpha_{x} \right\rangle = \left\langle c, x \right\rangle$$

where the last line follows from the fact that B_i^+ is a right inverse when B_i has independent columns, which is true by construction.

B Regret analysis: Proof of Theorem 6

In this section, we provide a complete proof of the regret bound. We first prove the two lemmas that relate the regret of the algorithm to the quantity bounded by the moving online gradient descent lemma. We then prove the online gradient descent lemma and conclude the section with a complete proof of Theorem 6.

Lemma 5 (First concentration lemma). Let $p_i^1, \ldots, p_i^T \in \mathcal{P}_i$ be the sequences of strategies produced by Algorithm 2 for the sequence of costs c^1, \ldots, c^T . We have with probability $1 - \delta$,

$$\mathcal{R}\left(p_i^{1:T}, c^{1:T}; u\right) \le \mathcal{R}\left(x_i^{1:T}, c^{1:T}; u\right) + c_{\max} m \sqrt{T \log\left(\frac{1}{\delta}\right)}.$$
(4)

Proof. The result is obtained by a straightforward application of Azuma-Hoeffding's inequality. Indeed,

$$\mathbb{E}_t\left[\left\langle c^t, p_i^t \right\rangle - \left\langle c^t, x_i^t \right\rangle\right] = 0$$

and $|\langle c^t, p_i^t \rangle - \langle c^t, x_i^t \rangle| \leq mc_{\max}$ almost surely. The sequence $(\langle c^t, p_i^t \rangle - \langle c^t, x_i^t \rangle)_t$ is a sequence of bounded martingale increments. We can thus apply Azuma-Hoeffding's inequality.

The following second lemma swaps out the real cost vectors with their estimates.

Lemma 6 (Second concentration lemma). Let $\hat{c}^1, \ldots, \hat{c}^T$ the sequence produced in Step 7 of Algorithm 2 run on the sequence of costs c^1, \ldots, c^T . Then with probability $1 - \delta$,

$$\mathcal{R}\left(x_{i}^{1:T}, c^{1:T}; u\right) \le \mathcal{R}\left(x_{i}^{1:T}, \hat{c}^{1:T}; u\right) + m^{3} c_{\max} \vartheta^{3/2} \sqrt{\sum_{t=1}^{T} \frac{1}{\mu_{t}^{2}} \log(1/\delta)}.$$
(5)

Proof. This result is again a straightforward application of Azuma-Hoeffding's concentration inequality. Indeed, by the *Orthogonal Bias Lemma* 10, we have that

$$\mathbb{E}_t\left[\left\langle c^t - \hat{c}^t, x_i^t - u\right\rangle\right] = 0$$

It remains to show that $|\langle c^t - \hat{c}^t, x_i^t - u \rangle|$ is bounded almost surely. Since B_i is a ϑ -spanner, notice that there exists $\alpha^u \in \mathbb{R}^s$ such that $u = B\alpha^u$. We can thus write

$$\begin{aligned} |\langle c^t - \hat{c}^t, x_i^t - u \rangle| &= |\langle B_i^\top \left(c^t - \hat{c}^t \right), \alpha_i^t - \alpha^u \rangle| \\ &\leq \|B_i^\top \left(c^t - \hat{c}^t \right)\|_2 \|\alpha_i^t - \alpha^u\|_2 \end{aligned}$$

where the last inequality was obtained by Cauchy-Schwartz. Now recalling the definition of \hat{c}^t , we have that

$$B_i^{\top} \left(c^t - \hat{c}^t \right) = \left(B_i^{\top} - B_i^{\top} M_{i,t}^{+} B_i \alpha_{i,t} \alpha_{i,t}^{\top} B_i^{\top} \right) c^t$$
$$= \left(I - B_i^{\top} M_{i,t}^{+} B_i \alpha_{i,t} \alpha_{i,t}^{\top} \right) B_i^{\top} c^t$$

Recalling (8), we have that

$$\left(I - B_i^\top M_{i,t}^+ B_i \alpha_{i,t} \alpha_{i,t}^\top\right) \leq |1 - \vartheta^2 \frac{s^2}{\mu_t} | I_m \leq \vartheta^2 \frac{s^2}{\mu_t} I_m$$

for $\mu_t \leq s^2 \vartheta$. We therefore get that

$$\|B_i^{\top} \left(c^t - \hat{c}^t\right)\|_2 \le \vartheta^2 \frac{s^{5/2} c_{\max}}{\mu_t}$$

This allows us to conclude that

$$\left\langle c^t - \hat{c}^t, x_i^t - u \right\rangle \le \frac{m^3 c_{\max} \vartheta^3}{\mu_t}$$

(using $s \leq m$). The sequence $(\langle c^t - \hat{c}^t, x_i^t - u \rangle)_t$ is therefore a bounded sequence of martingale increments. We can apply Azuma-Hoeffding's inequality.

By plugging (5) into (4), we have reduced the problem of bounding the regret to controlling the regret of moving OGD given by $\mathcal{R}(x_i^{1:T}, \hat{c}^{1:T}; u)$.

Lemma 4 (Moving OGD). Let $x_i^{1:T}$ and $\hat{c}_i^{1:T}$ be the sequences produced by Algorithm 2,

$$\mathcal{R}\left(x_{i}^{1:T}, \hat{c}^{1:T}; u\right) \leq \frac{2m}{\gamma_{T}} + 2\sum_{t=1}^{T} \gamma_{t} \|\hat{c}^{t}\|_{2}^{2} + 2mc_{\max} \sum_{t=1}^{T} \mu_{t}.$$
(3)

Proof. The idea here will be to relate $\alpha_i^{1:T}$ to a sequence that is almost performing Online Gradient Descent on the fixed polytope \mathcal{D}_i . To this end, we introduce the auxiliary sequence $\tilde{\alpha}_i^{1:T}$ defined as

$$\tilde{\alpha}_i^t = \frac{1}{1 - \mu_t} (\alpha_i^t - \frac{\mu_t}{s} \mathbb{1})$$

and its corresponding point $\tilde{x}_i^t = B_i \tilde{\alpha}_i^t$. Since $\alpha_i^t \in \mathcal{D}_i^{\mu_t}$, we have that $\tilde{\alpha}_i^t \in \mathcal{D}_i$. Moreover, a simple rearrangement gives $\alpha_i^t = (1 - \mu_t) \tilde{\alpha}_i^t + \frac{\mu_t}{s} \mathbb{1}$ With this in hand, we can write that

$$\begin{split} \left\langle \hat{c}^{t}, x_{i}^{t} - u \right\rangle &= (1 - \mu_{t}) \left\langle \hat{c}^{t}, \tilde{x}_{i}^{t} - u \right\rangle + \mu_{t} \left\langle \hat{c}^{t}, \bar{b}_{i} \right\rangle \\ &\leq \left\langle (1 - \mu_{t}) \hat{c}^{t}, \tilde{x}_{i}^{t} - u \right\rangle + mc_{\max}\mu_{t} \\ &\leq \left\langle \hat{c}^{t}, \tilde{x}_{i}^{t} - u \right\rangle + 2mc_{\max}\mu_{t} \end{split}$$

It then follows that

$$\mathcal{R}\left(x_i^{1:T}, \hat{c}^{1:T}; u\right) \le \mathcal{R}\left(\tilde{x}_i^{1:T}, \hat{c}^{1:T}; u\right) + 2mc_{\max} \sum_{t=1}^T \mu_t$$
(10)

It remains to show that this regret term of the auxiliary sequence is controllable. This will follow from a simple observation on the update rule. Recall that this update rule in **Step 8** of Algorithm 2 is given by

$$\alpha_i^{t+1} = \Pi_{\mathcal{D}^{\mu_{t+1}}} \left[\alpha_i^t - \gamma_t B_i^\top \hat{c}^t \right]$$

By Lemma 16, we know that we can express $\Pi_{\mathcal{D}_i}^{\mu_{t+1}}$ in terms of $\Pi_{\mathcal{D}_i}$, which allows us to write that

$$\alpha_i^{t+1} = (1 - \mu_{t+1}) \Pi_{\mathcal{D}_i} \left[\frac{1}{1 - \mu_{t+1}} (\alpha_i^t - \gamma_t B_i^\top \hat{c}^t - \frac{\mu_t}{s} \mathbb{1}) \right] + \frac{\mu_t}{s} \mathbb{1}$$

Rearranging we find that

$$\tilde{\alpha}_{i}^{t+1} = \Pi_{\mathcal{D}_{i}} \left[\tilde{\alpha}_{i}^{t} - \frac{\gamma_{t}}{1 - \mu_{t+1}} B_{i}^{\top} \hat{c}^{t} + (\mu_{t+1} - \mu_{t}) \left(\frac{\alpha_{i}^{t} - \frac{1}{s} \mathbb{1}}{(1 - \mu_{t})(1 - \mu_{t+1})} \right) \right]$$

The last term in the projection is an error term that can easily be handled, we denote it by $e_t := \left(\frac{\alpha_t^i - \frac{1}{3}\mathbb{I}}{(1-\mu_t)(1-\mu_{t+1})}\right)$. We thus have that the auxiliary sequence is performing online gradient descent with a small error term since

$$\tilde{\alpha}_i^{t+1} = \Pi_{\mathcal{X}} \left[\tilde{\alpha}_i^t - \tilde{\gamma}_t B_i^\top \hat{c}^t + (\mu_{t+1} - \mu_t) e_t \right]$$

where $\tilde{\gamma}_t := \frac{\gamma_t}{1-\mu_{t+1}}$. To control the regret of this approximate OGD, we consider the regret incurred on a single update.

Recall that $u \in \mathcal{X}_i$ and that there exists $\alpha^u \in \mathcal{D}_i$ such that $u = B_i \alpha^u$. We know by the contractive property of the projection that

$$\begin{split} \|\tilde{\alpha}_{i}^{t+1} - \alpha^{u}\|_{2}^{2} &\leq \|\tilde{\alpha}_{i}^{t} - \alpha^{u} - \tilde{\gamma}_{t}B_{i}^{\top}\hat{c}^{t} + (\mu_{t+1} - \mu_{t})e_{t}\|_{2}^{2} \\ &\leq \|\tilde{\alpha}_{i}^{t} - \alpha^{u}\|_{2}^{2} - 2\tilde{\gamma}_{t}\left\langle\hat{c}^{t}, \tilde{x}_{i}^{t} - u\right\rangle + 2\tilde{\gamma}_{t}^{2}\|B_{i}^{\top}\hat{c}^{t}\|_{2}^{2} + 2(\mu_{t+1} - \mu_{t})\left\langle e_{t}, \tilde{\alpha}_{i}^{t} - \alpha^{u}\right\rangle + 2(\mu_{t+1} - \mu_{t})^{2}\|e_{t}\|_{2}^{2} \end{split}$$

where the second inequality follows from Young's inequality. Now since $0 \le \mu_t \le \frac{1}{2}$ for $t \ge \frac{32m^4n}{c_{\max}}$, we have that $\|e_t\|_2 \le 2\sqrt{m}$ and $(\mu_{t+1} - \mu_t)^2 \le \frac{1}{2}(\mu_t - \mu_{t+1})$. Consequently,

$$\|\tilde{\alpha}_{i}^{t+1} - \alpha^{u}\|_{2}^{2} \leq \|\tilde{\alpha}_{i}^{t} - \alpha^{u}\|_{2}^{2} - 2\tilde{\gamma}_{t} \left\langle \hat{c}^{t}, \tilde{x}_{i}^{t} - u \right\rangle + 2\tilde{\gamma}_{t}^{2} \|B_{i}^{\top} \hat{c}^{t}\|_{2}^{2} + 8m(\mu_{t} - \mu_{t+1})$$

Rearranging, we obtain that

$$\left\langle \hat{c}^{t}, \tilde{x}_{i}^{t} - u \right\rangle \leq \frac{1}{2\tilde{\gamma}_{t}} \left(\|\tilde{\alpha}_{i}^{t} - \alpha^{u}\|_{2}^{2} - \|\tilde{\alpha}_{i}^{t+1} - \alpha^{u}\|_{2}^{2} \right) + \tilde{\gamma}_{t} \|B_{i}^{\top} \hat{c}^{t}\|_{2}^{2} + \frac{8m}{\tilde{\gamma}_{t}} \left(\mu_{t} - \mu_{t+1}\right)$$

By summing from $t = \overline{t} := \frac{32m^4n}{c_{\max}}$ to t = T and using the telescoping Lemma 18, we find that

$$\mathcal{R}\left(\tilde{x}_{i}^{\bar{t}:T}, \hat{c}^{\bar{t}:T}; u\right) \leq \frac{5m}{\gamma_{T}} + 2\sum_{t=\bar{t}}^{T} \gamma_{t} \|B_{i}^{\top} \hat{c}^{t}\|_{2}^{2}$$

where we have used the fact that $\gamma_t \leq \tilde{\gamma}_t \leq 2\gamma_t$ and $m \geq 2$ to simplify the expression. Finally, using that

$$\mathcal{R}\left(\tilde{x}_{i}^{1:\bar{t}}, \hat{c}^{1:\bar{t}}; u\right) \leq 32nm^4,$$

we conclude that

$$\mathcal{R}\left(\tilde{x}_{i}^{1:T}, \hat{c}^{1:T}; u\right) \leq \frac{5m}{\gamma_{T}} + 2\sum_{t=1}^{T} \gamma_{t} \|\hat{c}\|_{2}^{2} + 32nm^{4}$$

We obtain the result by plugging the inequality above inside (10).

We now dispose of all the necessary results to prove Theorem 6.

Proof. Let $u \in S_i$. Let $\delta \in (0, 1)$. By invoking Lemma 5, then Lemma 6 then finally Lemma 4, we find that, with probability $1 - \delta/|S_i|$

$$\mathcal{R}\left(p_{i}^{1:T}, c^{1:T}; u\right) \leq \frac{5m}{\gamma_{T}} + 2\sum_{t=1}^{T} \gamma_{t} \|\hat{c}^{t}\|_{2}^{2} + 2mc_{\max} \sum_{t=1}^{T} \mu_{t} + m^{3}c_{\max} \vartheta^{3/2} \sqrt{\sum_{t=1}^{T} \frac{1}{\mu_{t}^{2}} \log(|\mathcal{S}_{i}|/\delta) + c_{\max} m \sqrt{T \log\left(\frac{|\mathcal{S}_{i}|}{\delta}\right)} + 32nm^{4} \log\left(\frac{|\mathcal{S}_{i}|}{\delta}\right) + 32nm^{4}$$

By invoking Lemma 9,

$$\mathcal{R}\left(p_{i}^{1:T}, c^{1:T}; u\right) \leq \frac{5m}{\gamma_{T}} + 2\sum_{t=1}^{T} \frac{\gamma_{t} m^{5} c_{\max}^{2} \vartheta^{2}}{\mu_{t}^{2}} + 2mc_{\max} \sum_{t=1}^{T} \mu_{t} + m^{3} c_{\max} \vartheta^{3/2} \sqrt{\sum_{t=1}^{T} \frac{1}{\mu_{t}^{2}} \log(|\mathcal{S}_{i}|/\delta)} + c_{\max} m \sqrt{T \log\left(\frac{|\mathcal{S}_{i}|}{\delta}\right)} + 32nm^{4} \log(|\mathcal{S}_{i}|/\delta) + 32nm^{4} \log(|\mathcal{S}_{i}|/\delta|/\delta|}) + 32nm^{4} \log(|\mathcal{S}$$

Now plugging in the choice of step-sizes $\gamma_t = \sqrt{\frac{c_{\max}\mu_t}{\vartheta n^3 m^3 t}}$ and $\mu_t = \frac{m^{4/5} n^{1/5} \vartheta^{1/5}}{t^{1/5} c_{\max}^{1/5}}$, we have that

$$\mathcal{R}\left(p_i^{1:T}, c^{1:T}; u\right) \le \tilde{\mathcal{O}}\left(m^{2.3} c^{2.8} \sqrt{\log \frac{|\mathcal{S}_i|}{\delta}} T^{4/5}\right)$$

- 16	

Finally, using a union bound, the regret above holds uniformly for any $u \in S_i$ with probability $1 - \delta$. In particular it holds for the fixed strategy in hindsight. Consequently,

$$\mathcal{R}\left(p_{i}^{1:T}, c^{1:T}\right) \leq \tilde{\mathcal{O}}\left(m^{2.8}c^{2.8}T^{4/5}\sqrt{\log\frac{1}{\delta}}\right)$$

where we have used the fact that $\log |\mathcal{S}_i| \leq m$.

Remark 13. Notice that the choice of γ_t and μ_t are done to optimize the rate of convergence to NE. To optimize the regret bound, we can choose $\gamma_t = \frac{\mu_t}{m^2 c_{\max} \vartheta t}$ and $\mu_t = \frac{1}{2t^{1/4}}$ to obtain $\mathcal{R}\left(p_i^{1:T}, c^{1:T}\right) \leq m^3 T^{3/4}$.

C Nash convergence analysis

C.1 Properties of the potential function Φ

In this section we show that the potential function is bounded, Lipschitz and smooth. All three properties will be used in later proofs. Recall that the potential function is given by

$$\Phi(x) = \sum_{e \in E} \sum_{\mathcal{S} \subseteq [n]} \prod_{j \in \mathcal{S}} x_{je} \prod_{j \notin \mathcal{S}} (1 - x_{je}) \sum_{\ell=0}^{|\mathcal{S}|} c_e(\ell)$$

Lemma 11 (Bounded potential function). The potential function Φ is bounded and for all $x \in \mathcal{X}$,

 $|\Phi(x)| \le nmc_{\max}$

Proof. This can easily be seen by rewriting the potential function as follows

$$\Phi(x) = \sum_{e \in E} \sum_{S \subseteq [n]} \prod_{j \in S} x_{je} \prod_{j \notin S} (1 - x_{je}) \sum_{\ell=0}^{|S|} c_e(\ell)$$

=
$$\sum_{e \in E} \sum_{S \subseteq [n]} \mathbb{P} (\text{"set of agents that picked } e^{"} = S) \sum_{\ell=0}^{|S|} c_e(\ell)$$

$$\leq nc_{\max} \sum_{e \in E} \sum_{S \subseteq [n]} \mathbb{P} (\text{"set of agents that picked } e^{"} = S)$$

=
$$nc_{\max} \sum_{e \in E} 1$$

=
$$nmc_{\max}$$

Lemma 12 (Lipschitz potential function). The gradient of Φ is bounded and

$$\|\nabla\Phi(x)\|_2 \le \sqrt{nm}c_{\max}$$

Proof. We start my computing the gradient coordinate at i, e for $i \in [n]$ and $e \in [m]$.

$$\frac{\partial \Phi(x)}{\partial x_{ie}} = \sum_{\mathcal{S}_{-i} \subseteq [n-1]} \prod_{j \in \mathcal{S}_{-i}} x_{je} \prod_{j \notin \mathcal{S}_{-i}} (1-x_{je}) \sum_{\ell=0}^{|\mathcal{S}_{-i}|+1} c_e(\ell) - \sum_{\mathcal{S}_{-i} \subseteq [n-1]} \prod_{j \in \mathcal{S}_{-i}} x_{je} \prod_{j \notin \mathcal{S}_{-i}} (1-x_{je}) \sum_{\ell=0}^{|\mathcal{S}_{-i}|} c_e(\ell) \quad (11)$$
$$= \sum_{\mathcal{S}_{-i} \subseteq [n-1]} \prod_{j \in \mathcal{S}_{-i}} x_{je} \prod_{j \notin \mathcal{S}_{-i}} (1-x_{je}) c_e(|\mathcal{S}_{-i}|+1). \quad (12)$$

Observe then that

$$0 \le \frac{\partial \Phi(x)}{\partial x_{ie}} \le c_{\max}$$

Since the ℓ_{∞} norm is bounded by c_{\max} , we obtain the ℓ_2 norm bound by multiplying by the dimension.

Lemma 13 (Smooth potential function). (Lemma 9 of [68]) The gradient of Φ is Lipschitz continuous and for any $x, y \in \mathcal{X}$

$$\|\nabla\Phi(x) - \nabla\Phi(y)\| \le 2n^2 \sqrt{m} c_{\max} \|x - y\|_2$$

With this lemma, proving that $\tilde{\Phi}$ is smooth becomes immediate.

Proposition 4. The function $\tilde{\Phi}$ is $\frac{1}{\lambda}$ -smooth with $\lambda = (2n^2m^{7/2}c_{\max})^{-1}$.

Proof. The operator norm of the matrix B can easily be bounded as it is a block diagonal matrix. Indeed we have that

$$||B||_2 \le \max_{i=1,\dots,n} ||B_i||_2 \le \max_{i=1,\dots,n} ||B_i||_F \le m^2.$$

Consequently, the smoothness constant of $\tilde{\Phi}$ is obtained by multiplying the smoothness constant of Φ by m^2 .

A final property we will use is the following which states that if all other players stay fixed, the cost incurred by a single agent i is linear in terms of its strategy.

Lemma 14 (Linearized cost). Let $\pi \in \Delta(S_1) \times ... \Delta(S_n)$ with marginalization $x \in \mathcal{X}$. Then, for all $i \in [n]$,

$$C_i(\pi_i, \pi_{-i}) = \left\langle \frac{\partial \Phi(x)}{\partial x_i}, x_i \right\rangle$$

and $\frac{\partial \Phi(x)}{\partial x_i}$ only depends on x_{-i} .

Proof. Let $i \in [n]$. By definition of the cost,

$$C_{i}(\pi_{i},\pi_{-i}) = \mathbb{E}_{(p_{i},p_{-i})\sim(\pi_{i},\pi_{-i})} \left[\sum_{e\in p_{i}} c_{e}(\ell_{e}(p_{i},p_{-i})) \right]$$
$$= \mathbb{E}_{p_{i}\sim\pi_{i}} \left[\mathbb{E}_{p_{-i}\sim\pi_{-i}} \left[\sum_{e\in E} c_{e}(\ell_{e}(p_{i},p_{-i})) \mathbb{1}\left[e\in p_{i}\right] \middle| p_{i} \right] \right]$$
$$= \sum_{e\in E} \mathbb{E}_{p_{-i}\sim\pi_{-i}} \left[c_{e}(\ell_{e}(p_{-i})+1) \right] \mathbb{E}_{p_{i}\sim\pi_{i}} \left[\mathbb{1}\left[e\in p_{i}\right] \right]$$
$$= \sum_{e\in E} \mathbb{E}_{p_{-i}\sim\pi_{-i}} \left[c_{e}(\ell_{e}(p_{-i})+1) \right] x_{ie}$$

where the third equality follows form the fact that $c_e(\ell_e(p_i, p_{-i}))\mathbb{1}[e \in p_i] = c_e(\ell_e(p_{-i}) + 1)\mathbb{1}[e \in p_i])$. We then observe that $\mathbb{E}_{p_{-i} \sim \pi_{-i}}[c_e(\ell_e(p_{-i}) + 1)]$ is precisely what is computed in equation (12) to find that

$$C_i(\pi_i, \pi_{-i}) = \left\langle \frac{\partial \Phi(x)}{\partial x_i}, x_i \right\rangle$$

C.2 Proof of Theorem 7

As stated in section 5.2, we show convergence to Nash equilibria by showing convergence to a stationary point of the potential function. This strategy is valid because of the following result relating Nash equilibria with stationary points.

Proposition 3 (From Stationarity to Nash). Let $\pi \in \Delta(S_1) \times \cdots \times \Delta(S_n)$. Let $x \in \mathcal{X}$ be the marginalization of π . If $x = B\alpha$, with $\alpha \in \mathcal{D}$ an (ϵ, μ) -stationary point, then π is a $4n^{2.5}m^4c_{\max}(\epsilon + \mu)$ -mixed Nash equilibrium.

Proof. Let $\pi'_i \in \Delta(\mathcal{X}_i)$ with marginalization $x'_i \in \mathcal{X}_i$. Let $x' = [x_1, \ldots, x'_i, \ldots, x_n]$ differ from x only at x'_i . By definition of the potential function, we know that

$$C_i(\pi_i, \pi_{-i}) - C_i(\pi'_i, \pi_{-i}) = \Phi(x_i, x_{-i}) - \Phi(x'_i, x_{-i})$$

By further invoking Lemma 14, and using the fact that $\frac{\partial \Phi(x)}{\partial x_i}$ only depends on x_{-i} , we have that

$$C_i(\pi_i, \pi_{-i}) - C_i(\pi'_i, \pi_{-i}) = \left\langle \frac{\partial \Phi(x)}{\partial x_i}, x_i - x'_i \right\rangle = \left\langle \nabla \Phi(x), x - x' \right\rangle$$

where the last equality comes from the fact that x - x' is zero except on the x_i block of coordinates. Since $x - x' = B(\alpha - \alpha')$ for some $\alpha' \in \mathcal{D}$, we have that

$$C_i(\pi_i, \pi_{-i}) - C_i(\pi'_i, \pi_{-i}) = \left\langle \nabla \tilde{\Phi}(x), \alpha - \alpha' \right\rangle$$

We now exploit the fact that α is stationary. Let $\alpha^+ = \prod_{\mathcal{D}^{\mu}} \left[\alpha - \frac{\lambda}{2} \tilde{\Phi}(\alpha) \right]$. By definition of the projection, for any $u \in \mathcal{D}^{\mu}$, it holds that

$$\left\langle \alpha - \frac{\lambda}{2} \nabla \tilde{\Phi}(\alpha) - \alpha^+, u - \alpha^+ \right\rangle \le 0$$

By rearranging, we find that

$$\left\langle \nabla \tilde{\Phi}(\alpha), \alpha^{+} - u \right\rangle \leq \frac{2}{\lambda} \left\langle \alpha - \alpha^{+}, \alpha^{+} - u \right\rangle$$

With this inequality in hand, we obtain that

$$\begin{split} \left\langle \nabla \tilde{\Phi}(\alpha), \alpha - u \right\rangle &= \left\langle \nabla \tilde{\Phi}(\alpha), \alpha^{+} - u \right\rangle + \left\langle \nabla \tilde{\Phi}(x), \alpha - \alpha^{+} \right\rangle \\ &\leq \frac{2}{\lambda} \left\langle \alpha - \alpha^{+}, \alpha^{+} - u \right\rangle + \left\langle \nabla \tilde{\Phi}(\alpha), \alpha - \alpha^{+} \right\rangle \\ &\leq \left(\frac{2\sqrt{nm}}{\lambda} + \|\nabla \tilde{\Phi}(\alpha)\|_{2} \right) \|\alpha^{+} - \alpha\|_{2} \\ &\leq \left(4n^{2.5}m^{4}c_{\max} \right) G^{\mu}(\alpha). \end{split}$$

To conclude we simply take $u = (1 - \mu)\alpha' + \mu \frac{1}{s}\mathbb{1}$ which is necessarily in \mathcal{D}^{μ} to find that

$$\left\langle \nabla \tilde{\Phi}(x), x - x' \right\rangle = \left\langle \nabla \tilde{\Phi}(x), x - u \right\rangle + \left\langle \nabla \tilde{\Phi}(x), u - x' \right\rangle$$

$$\leq \left(4n^{2.5}m^4 c_{\max} \right) G^{\mu}(x) + nm c_{\max} \mu$$

$$\leq 4n^{2.5}m^4 c_{\max} \left(G^{\mu}(x) + \mu \right)$$

Thanks to the proposition above we can focus our attention on proving convergence to stationary points. Lemma 7 (Estimator property). Let $t \in [T]$ and \mathcal{F}_t be the sigma-field generated by $\alpha_1, \ldots, \alpha_t$. It holds that

1. $\mathbb{E}_t[\nabla_t] = \nabla \tilde{\Phi}(\alpha^t),$ 2. $\mathbb{E}_t[||\nabla_t||_2^2] \le \frac{nm^4c_{\max}^2}{\mu_t}$

where $\mathbb{E}_t [\cdot] \triangleq \mathbb{E} [\cdot | \mathcal{F}_t].$

Proof. Let $i \in [n]$ and $e \in E$. First, observe that from lemma 14, we have that the linearized cost c^t for agent i satisfies

$$\mathbb{E}_t\left[c_e^t\right] = \frac{\partial\Phi}{\partial x_{ie}}(x^t)$$

Now using the tower property, we have that

$$\begin{split} \mathbb{E}_{t}\left[\left[\nabla_{t}\right]_{i}\right] &= \mathbb{E}_{t}\left[B_{i}^{\top}\hat{c}_{i}^{t}\right] = B_{i}^{\top}\mathbb{E}_{t}\left[\mathbb{E}\left[M_{i,t}^{+}p_{i}^{t}\left(\sum_{e\in p_{i}^{t}}c_{e}^{t}\right)|p_{i}^{t}\right]\right]\right] \\ &= B_{i}^{\top}\sum_{p_{k}\in\mathrm{supp}(\pi_{i}^{t})}\mathbb{P}\left(p_{i}^{t}=p_{k}\right)M_{i,t}^{+}p_{k}\sum_{e\in p^{k}}\mathbb{E}_{t}\left[c_{e}^{t}|p_{i}^{t}=p_{k}\right] \\ &= B_{i}^{\top}\sum_{p_{k}\in\mathrm{supp}(\pi_{i}^{t})}\mathbb{P}\left(p_{i}^{t}=p_{k}\right)M_{i,t}^{+}p_{k}\sum_{e\in p^{k}}\frac{\partial\Phi}{\partial x_{ie}}(x^{t}) \\ &= B_{i}^{\top}\sum_{p_{k}\in\mathrm{supp}(\pi_{i}^{t})}\mathbb{P}\left(p_{i}^{t}=p_{k}\right)M_{i,t}^{+}p_{k}p_{k}^{T}\frac{\partial\Phi}{\partial x_{i}}(x^{t}) \\ &= B_{i}^{\top}M_{i,t}^{+}M_{i,t}\frac{\partial\Phi}{\partial x_{i}}(x^{t}) \\ &= B_{i}^{\top}\frac{\partial\Phi}{\partial x_{i}}(x^{t}) \end{split}$$

where the last equality follows from (8). We thus conclude that

$$\mathbb{E}_t\left[\nabla_t\right] = \nabla \tilde{\Phi}(\alpha^t).$$

For the second point, we know from equation (9) in the proof of Lemma 9 that

$$B_i^{\top} \hat{c}^t = \left\langle c^t, p_i^t \right\rangle N_{i,t}^+ \alpha_{i,t}^p \tag{13}$$

We can then control the expectation of square norm of this estimator as follows

$$\begin{split} \mathbb{E}_{t} \left[\|B_{i}^{\top} \hat{c}^{t}\|_{2}^{2} \right] &\leq m^{2} c_{\max}^{2} \mathbb{E}_{t} \left[\left\| N_{i,t}^{+} \alpha_{i,t}^{p} \right\|_{2}^{2} \right] \\ &= m^{2} c_{\max}^{2} \mathbb{E}_{t} \left[\operatorname{tr} \left(N_{i,t}^{+} \alpha_{i,t}^{p} \alpha_{i,t}^{p\top} N_{i,t}^{+\top} \right) \right] \\ &= m^{2} c_{\max}^{2} \operatorname{tr} \left(N_{i,t}^{+} \mathbb{E}_{t} \left[\alpha_{i,t}^{p} \alpha_{i,t}^{p\top} \right] N_{i,t}^{+\top} \right) \\ &\leq m^{2} c_{\max}^{2} \operatorname{tr} \left(N_{i,t}^{+} \right) \\ &\leq m^{4} c_{\max}^{2} \frac{1}{\mu_{t}} \end{split}$$

where the last inequality follows from (7) where we have used that $s \leq m$. Now, since ∇_t is a concatenation of the estimators $B_i^{\top} \hat{c}^t$, we find that 1 2

$$\mathbb{E}_t \left[\|\nabla_t\|_2^2 \right] \le \frac{nm^4 c_{\max}^2}{\mu_t}.$$

Lemma 8 (Gap control). Let $G^t(\alpha) := \|\Pi_{\mathcal{D}^{\mu_t}} \left[\alpha - \frac{\lambda}{2} \nabla \tilde{\Phi}(\alpha)\right] - x\|_2$ denote the μ_t -stationarity gap. We have that for any $\alpha \in \mathcal{D}^{\mu_t}$, **-**+

$$G^t(\alpha) \le \lambda \|\nabla M^t_{\lambda \tilde{\Phi}}(\alpha)\|_2$$

Proof. The proof relies on introducing a fixed point y such that

$$y = \Pi_{\mathcal{D}^{\mu}} \left[x - \frac{\lambda}{2} \nabla \tilde{\Phi}(y) \right].$$

Luckily the point $y = x - \frac{\lambda}{2} \nabla M^{\mu}_{\lambda \tilde{\Phi}}(x)$ is such a fixed point (see point 2 in 17). Now we can write

$$G^{\mu}(x) = \|\Pi_{\mathcal{D}^{\mu}} \left[x - \frac{\lambda}{2} \nabla \tilde{\Phi}(x) \right] - x\|_{2}$$

$$\leq \|\Pi_{\mathcal{D}^{\mu}} \left[x - \frac{\lambda}{2} \nabla \tilde{\Phi}(x) \right] - \Pi_{\mathcal{D}^{\mu}} \left[x - \frac{\lambda}{2} \nabla \tilde{\Phi}(y) \right] \|_{2} + \|y - x\|_{2}$$

$$\leq \frac{\lambda}{2} \|\nabla \tilde{\Phi}(x) - \nabla \tilde{\Phi}(y)\| + \|y - x\|_{2}$$

$$\leq \frac{3}{2} \|y - x\|_{2} = \frac{3\lambda}{4} \|\nabla M^{\mu}_{\lambda \tilde{\Phi}}(x)\|_{2} \leq \lambda \|\nabla M^{\mu}_{\lambda \tilde{\Phi}}(x)\|_{2}$$

Theorem 12 (Stochastic gradient descent). Consider the sequence $\alpha^1, \ldots, \alpha^T$ produced by Equation 6. Then,

$$\frac{1}{T} \sum_{t=1}^{T} \mathbb{E} \left[\|\nabla M_{\lambda \tilde{\Phi}}^{t}(\alpha^{t})\|_{2} \right] \leq 2n^{1.5} \sqrt{\frac{2m^{1.5}c_{\max}}{\gamma_{T}T} + \frac{n^{3}m^{7.5}}{\gamma_{T}T}} \sum_{t=1}^{T} \frac{\gamma_{t}^{2}}{\mu_{t}}$$

Proof. Let us first recall some of the notation we use. The time dependent Moreau envelope is given by

$$M_{\lambda\tilde{\Phi}}^{t}(x) \triangleq \min_{y \in \mathcal{D}^{\mu_{t}}} \left\{ \tilde{\Phi}(y) + \frac{1}{\lambda} \|x - y\|_{2}^{2} \right\},$$

Notice here that the envelope is taken with respect to a time varying polytope. The iterates $\alpha^{1:T}$ are updated by the following update rule

$$\alpha^{t+1} = \Pi_{\mathcal{D}^{\mu_{t+1}}} \left[\alpha^t - \gamma_t \cdot \nabla_t \right]$$
(14)

With this in mind, we proceed with the proof. Since $M_{\lambda\tilde{\Phi}}^t$ is $\frac{2}{\lambda}$ -smooth (by point 4 of Lemma 17), we have that

$$M^t_{\lambda\tilde{\Phi}}(\alpha^{t+1}) \le M^t_{\lambda\tilde{\Phi}}(\alpha^t) + \left\langle \nabla M^t_{\lambda\tilde{\Phi}}(\alpha^t), \alpha^{t+1} - \alpha^t \right\rangle + \frac{1}{\lambda} \|\alpha^{t+1} - \alpha^t\|_2^2$$

Now since $\nabla M_{\lambda\tilde{\Phi}}^t(\alpha^t) = \frac{2}{\lambda} \left(\alpha^t - \operatorname{prox}_{\frac{\lambda}{2}\tilde{\Phi}}^t(\alpha^t) \right)$ (by point 3 of Lemma 17), where we can invoke the contractive properties of the projection in (14) to find that

$$M_{\lambda\Phi}^t(\alpha^{t+1}) \le M_{\lambda\Phi}^t(\alpha^t) - \gamma_t \left\langle \nabla M_{\lambda\tilde{\Phi}}^t(\alpha^t), \nabla_t \right\rangle + \frac{\gamma_t^2}{\lambda} \|\nabla_t\|_2^2$$

Taking the expectation, we have

$$\mathbb{E}\left[M_{\lambda\Phi}^{t}(\alpha^{t+1})\right] \leq \mathbb{E}\left[M_{\lambda\Phi}^{t}(\alpha^{t})\right] - \gamma_{t}\mathbb{E}\left[\left\langle \nabla M_{\lambda\tilde{\Phi}}^{t}(\alpha^{t}), \mathbb{E}_{t}\left[\nabla_{t}\right]\right\rangle\right] + \frac{\gamma_{t}^{2}}{\lambda}\mathbb{E}\left[\left\|\nabla_{t}\right\|_{2}^{2}\right]$$

Using Lemma 7, we can replace the terms involving ∇_t on the right hand side to find that

$$\mathbb{E}\left[M_{\lambda\Phi}^{t}(\alpha^{t+1})\right] \leq \mathbb{E}\left[M_{\lambda\Phi}^{t}(\alpha^{t})\right] - \gamma_{t}\mathbb{E}\left[\left\langle\nabla M_{\lambda\tilde{\Phi}}^{t}(\alpha^{t}),\nabla\tilde{\Phi}(\alpha^{t})\right\rangle\right] + \frac{nm^{4}c_{\max}^{2}\gamma_{t}^{2}}{\lambda}\frac{\gamma_{t}^{2}}{\mu_{t}}$$

Invoking Lemma 15, we obtain

$$\mathbb{E}\left[M_{\lambda\Phi}^t(\alpha^{t+1})\right] \le \mathbb{E}\left[M_{\lambda\Phi}^t(\alpha^t)\right] - \frac{\gamma_t}{4} \|\nabla M_{\lambda\tilde{\Phi}}^t(\alpha^t)\|_2^2 + \frac{nm^4 c_{\max}^2}{\lambda} \frac{\gamma_t^2}{\mu_t}$$

By rearranging the terms, we can write that

$$\frac{\gamma_t}{4} \mathbb{E}\left[\|\nabla M^t_{\lambda\tilde{\Phi}}(\alpha^t)\|_2^2\right] \le \mathbb{E}\left[M^t_{\lambda\Phi}(\alpha^t)\right] - \mathbb{E}\left[M^t_{\lambda\Phi}(\alpha^{t+1})\right] + \frac{nm^4c_{\max}^2}{\lambda}\frac{\gamma_t^2}{\mu_t}$$

At this point we notice that $M^{t+1}_{\lambda\tilde{\Phi}}(\alpha^{t+1}) \leq M^t_{\lambda\tilde{\Phi}}(\alpha^{t+1})$ since $\mathcal{D}^{\mu_t} \subset \mathcal{D}^{\mu_{t+1}}$, which gives us

$$\frac{\gamma_t}{4} \mathbb{E}\left[\|\nabla M^t_{\lambda \tilde{\Phi}}(\alpha^t)\|_2^2 \right] \le \mathbb{E}\left[M^t_{\lambda \Phi}(\alpha^t) \right] - \mathbb{E}\left[M^{t+1}_{\lambda \Phi}(\alpha^{t+1}) \right] + \frac{nm^4 c_{\max}^2}{\lambda} \frac{\gamma_t^2}{\mu_t}$$

Now summing from t = 1, ..., T and telescoping, we find that

$$\frac{1}{T}\sum_{t=1}^{T} \mathbb{E}\left[\|\nabla M_{\lambda\tilde{\Phi}}^{t}(\alpha^{t})\|_{2}^{2}\right] \leq \frac{8M_{\lambda\tilde{\Phi}}^{\max}}{\gamma_{T}T} + 4\frac{nm^{4}c_{\max}^{2}}{\lambda\gamma_{T}T}\sum_{t=1}^{T}\frac{\gamma_{t}^{2}}{\mu_{t}}$$

where we have used the fact that $\gamma_T \leq \gamma_t$ and defined $M_{\lambda \tilde{\Phi}}^{\max} := \max_{t \in [T]} \max_{x \in \mathcal{D}^{\mu_t}} M_{\lambda \tilde{\Phi}}^t(x)$. By taking the square root and applying Jensen's inequality, we have that

$$\frac{1}{T}\sum_{t=1}^{T} \mathbb{E}\left[\|\nabla M_{\lambda\tilde{\Phi}}^{t}(\alpha^{t})\|_{2}\right] \leq \sqrt{\frac{8M_{\lambda\tilde{\Phi}}^{\max}}{\gamma_{T}T} + 4\frac{nm^{4}c_{\max}^{2}}{\lambda\gamma_{T}T}\sum_{t=1}^{T}\frac{\gamma_{t}^{2}}{\mu_{t}}}$$

Finally by plugging in the values of $M_{\lambda\tilde{\Phi}}^{\max} \leq n^3 m^{3/2} c_{\max}$ and $\frac{1}{\lambda} = 2n^2 m^{7/2} c_{\max}$, we find that

$$\frac{1}{T}\sum_{t=1}^{T} \mathbb{E}\left[\|\nabla M_{\lambda\tilde{\Phi}}^{t}(\alpha^{t})\|_{2}\right] \leq 2n^{1.5}\sqrt{\frac{2m^{1.5}c_{\max}}{\gamma_{T}T} + \frac{\vartheta n^{3}m^{7.5}}{\gamma_{T}T}\sum_{t=1}^{T}\frac{\gamma_{t}^{2}}{\mu_{t}}}$$

Lemma 15. For any $t \in [T]$, we have that

$$\left\langle \nabla M^t_{\lambda \tilde{\Phi}}(\alpha^t), \nabla \tilde{\Phi}(\alpha^t) \right\rangle \ge \frac{1}{4} \| \nabla M^t_{\lambda \tilde{\Phi}}(\alpha^t) \|_2^2$$

Proof. This lemma is obtained by exploiting the smoothness of Φ . We begin by defining the gradient step $y^t := \alpha^t - \frac{\lambda}{2} \nabla M^t_{\lambda \tilde{\Phi}}(\alpha^t)$, which allows us to write

$$\left\langle \nabla M^t_{\lambda \tilde{\Phi}}(\alpha^t), \nabla \tilde{\Phi}(\alpha^t) \right\rangle = -\frac{2}{\lambda} \left\langle y^t - \alpha^t, \nabla \tilde{\Phi}(\alpha^t) \right\rangle.$$
(15)

Now since Φ is $\frac{1}{\lambda}$ -smooth, we have that

$$\begin{split} -\left\langle y^t - \alpha^t, \nabla \tilde{\Phi}(\alpha^t) \right\rangle &\geq \tilde{\Phi}(\alpha^t) - \tilde{\Phi}(y^t) - \frac{1}{2\lambda} \|y^t - \alpha^t\|_2^2 \\ &= \left(\tilde{\Phi}(\alpha^t) + \frac{1}{\lambda} \|\alpha^t - \alpha^t\|_2^2 \right) - \left(\tilde{\Phi}(y^t) + \frac{1}{\lambda} \|y^t - \alpha^t\|_2^2 \right) + \frac{1}{2\lambda} \|y^t - \alpha^t\|_2^2 \\ &\geq \frac{1}{2\lambda} \|y^t - \alpha^t\|_2^2 \quad (\text{because } y^t = \underset{y \in \mathcal{D}_i^{\mu_{t+1}}}{\arg\min} \tilde{\Phi}(y) + \frac{1}{\lambda} \|\alpha^t - y\|_2^2) \\ &= \frac{\lambda}{8} \|\nabla M_{\lambda\tilde{\Phi}}^t(\alpha^t)\|_2^2. \end{split}$$

Plugging this result into (15) gives

$$\left\langle \nabla M^t_{\lambda \tilde{\Phi}}(\alpha^t), \nabla \tilde{\Phi}(\alpha^t) \right\rangle \ge \frac{1}{4} \| \nabla M^t_{\lambda \tilde{\Phi}}(\alpha^t) \|_2^2.$$

We can now proceed to prove Theorem 7.

Proof. Let u be sampled uniformly from [T]. The joint strategy profile π^u has marginalization $\alpha^u \in \mathcal{D}^{\mu_u}$, and therefore, by lemma 3 we have that

$$\frac{1}{T}\mathbb{E}\left[\sum_{t=1}^{T}\max_{i\in[n]}\left[c_{i}(\pi_{i}^{t},\pi_{-i}^{t})-\min_{\pi_{i}\in\Delta(\mathcal{P}_{i})}c_{i}(\pi_{i},\pi_{-i}^{t})\right]\right] \leq 4n^{2.5}m^{4}c_{\max}\mathbb{E}\left[G^{u}(x^{u})+\mu_{u}\right]$$

Expanding the right hand side, we have that

$$\mathbb{E}\left[G^{u}(x^{u}) + \mu_{u}\right] \leq \frac{1}{T} \sum_{t=1}^{T} \mathbb{E}\left[G^{t}(x^{t})\right] + \frac{1}{T} \sum_{t=1}^{T} \mu_{u}$$

By Lemma 8, we get that

$$\mathbb{E}\left[G^{u}(x^{u}) + \mu_{u}\right] \leq \frac{\lambda}{T} \sum_{t=1}^{T} \mathbb{E}\left[\|\nabla M^{t}(x^{t})\|_{2}\right] + \frac{1}{T} \sum_{t=1}^{T} \mu_{t}$$

It then follows by Theorem 12 that

$$\mathbb{E}\left[G^{u}(x^{u}) + \mu_{u}\right] \leq 2\lambda n^{1.5} \sqrt{\frac{2m^{1.5}c_{\max}}{\gamma_{T}T} + \frac{n^{3}m^{7.5}}{\gamma_{T}T} \sum_{t=1}^{T} \frac{\gamma_{t}^{2}}{\mu_{t}} + \frac{1}{T} \sum_{t=1}^{T} \mu_{t}}}$$
$$= \frac{1}{\sqrt{n}m^{4}c_{\max}} \sqrt{\frac{2m^{1.5}c_{\max}}{\gamma_{T}T} + \frac{n^{3}m^{7.5}}{\gamma_{T}T} \sum_{t=1}^{T} \frac{\gamma_{t}^{2}}{\mu_{t}}} + \frac{1}{T} \sum_{t=1}^{T} \mu_{t}}}$$

Now, plugging in $\gamma_t = \sqrt{\frac{c_{\max}\mu_t}{n^3m^6t}}$

$$\mathbb{E}\left[G^{u}(x^{u}) + \mu_{u}\right] \leq \frac{1}{\sqrt{n}m^{4}c_{\max}}\sqrt{\frac{c_{\max}^{1.5}m^{4.5}n^{1.5}\log T}{\sqrt{T\mu_{T}}}} + \frac{1}{T}\sum_{t=1}^{T}\mu_{t}$$
$$\leq \frac{n^{1/4}}{m^{1.75}c_{\max}^{1/4}}\sqrt{\frac{3\log T}{\sqrt{T\mu_{T}}}} + \frac{1}{T}\sum_{t=1}^{T}\mu_{t}$$

Finally, setting the exploration parameter $\mu_t = \frac{n^{1/5}}{m^{7/5}t^{1/5}c_{\max}^{1/5}}$ and using the fact that $\sum_{t=1}^{T} t^{-1/5} \leq \frac{5T^{4/5}}{4}$, we obtain

$$\frac{1}{T}\mathbb{E}\left[\sum_{t=1}^{T}\max_{i\in[n]}\left[c_i(\pi_i^t,\pi_{-i}^t)-\min_{\pi_i\in\Delta(\mathcal{P}_i)}c_i(\pi_i,\pi_{-i}^t)\right]\right] \le \frac{4m^{2.6}n^{2.7}c_{\max}^{4/5}}{T^{1/5}}.$$

Therefore choosing $T \geq \frac{4^5 m^{13} n^{13.5} c_{\max}^4}{\epsilon}$ ensures

$$\frac{1}{T}\mathbb{E}\left[\sum_{t=1}^{T}\max_{i\in[n]}\left[c_i(\pi_i^t,\pi_{-i}^t)-\min_{\pi_i\in\Delta(\mathcal{P}_i)}c_i(\pi_i,\pi_{-i}^t)\right]\right] \le \epsilon$$

We now have all the ingredients we need to prove Corollary 1.

Proof. Let u be sampled uniformly from [T]. The joint strategy profile π^u has marginalization $\alpha^u \in \mathcal{D}^{\mu_u}$, and therefore, by lemma 3, it is a

$$4n^{2.5}m^4c_{\max}\left(G^u(x^u)+\mu_u\right)$$
 – mixed Nash equilibrium

Now let $\delta \in (0, 1)$. By Markov's inequality and Theorem 7,

$$\max_{i \in [n]} \left[c_i(\pi_i^u, \pi_{-i}^u) - \min_{\pi_i \in \Delta(\mathcal{P}_i)} c_i(\pi_i, \pi_{-i}^u) \right] \le \epsilon/\delta$$

with probability $1 - \delta$ if $T \ge \frac{4^5 m^{13} n^{13.5} c_{\max}^4 \theta}{\epsilon}$. Finally, putting everything together we find that π^u is a

$$\tilde{\mathcal{O}}\left(\frac{n^{2.7}m^{13/5}c_{\max}^{4/5}}{\delta}T^{-1/5}\right)$$

with probability $1 - \delta$. Finally, to make the quantity $\frac{n^{2.7}m^{13/5}c_{\max}^{4/5}}{\delta}T^{-1/5}$ equal to ϵ/δ we choose $T \ge \Theta\left(m^{13}n^{13.5}/\epsilon^5\right)$.

For the first statement of the corollary, we the set of time steps $\mathcal{B} := \{t \in \{1,t\} : E_t > \epsilon/\delta^2\}$ where $E_t := \max_{i \in [n]} \left[c_i(\pi_i^t, \pi_{-i}^t) - \min_{\pi_i \in \Delta(\mathcal{P}_i)} c_i(\pi_i, \pi_{-i}^t)\right]$ which is a random variable. With probability $1 - \delta$, $\sum_{t=1}^T E_t \leq \frac{\epsilon T}{\delta}$ we directly get that we probability $1 - \delta$, $|\mathcal{B}| \leq \delta T$. As a result, with probability $\geq 1 - \delta$, $(1 - \delta)$ fraction of the profiles π^1, \ldots, π^T are ϵ/δ^2 -Mixed NE.

C.3 Technical Lemmas

Lemma 16 (Projection lemma). Let \mathcal{D}_i^{μ} be a bounded away polytope. For any $z \in \mathbb{R}^s$, the projection on \mathcal{D}_i^{μ} can be expressed as

$$\Pi_{\mathcal{D}_i^{\mu}}[z] = (1-\mu)\Pi_{\mathcal{D}_i}\left[\frac{1}{1-\mu}(z-\frac{\mu}{s}\mathbb{1})\right] + \frac{\mu}{s}\mathbb{1}$$

Proof. We first express the indicator function of \mathcal{D}_i^{μ} in terms of the indicator of \mathcal{D}_i . We have that for any $z \in \mathbb{R}^s$, by definition of the bounded away polytope,

$$\iota_{\mathcal{D}_i^{\mu}}(z) = \iota_{\mathcal{D}_i}\left(\frac{1}{1-\mu}(z-\frac{\mu}{s}\mathbb{1})\right),\tag{16}$$

The indicator function of \mathcal{X}_i^{μ} is therefore obtained through an affine precomposition of the \mathcal{X}_i indicator. We can determine the prox of an affine precomposition by using properties (i) and (ii) in Table 10.1 of [28], which yields the simple formula given in equation (2.2) of [69]. We thus find that

$$\Pi_{\mathcal{D}_{i}^{\mu}}\left[z\right] = (1-\mu)\Pi_{\mathcal{D}_{i}}\left[\frac{1}{1-\mu}\left(z-\frac{\mu}{s}\mathbb{1}\right)\right] + \frac{\mu}{s}\mathbb{1}$$

Lemma 17 (Moreau enveloppe and proximity operators). Let $f : \mathcal{X} \mapsto \mathbb{R}$ be a $1/\lambda$ -smooth function. Its Moreau-Yosida regularization defined as

$$e_{\eta}f(x) = \inf_{y \in \mathcal{X}} f(y) + \frac{1}{2\eta} ||y - x||_2^2$$

verifies the following properties for $\eta < \lambda$,

1. The proximity operator given by the equation below is single valued

$$\operatorname{prox}_{\eta f}(x) = \operatorname*{arg\,min}_{y \in \mathcal{X}} f(y) + \frac{1}{2\eta} \|y - x\|_2^2.$$
(17)

2. By optimality conditions of (17),

$$\operatorname{prox}_{\eta f}(x) = \Pi_{\mathcal{X}} \left[x - \eta \nabla f(\operatorname{prox}_{\eta f}(x)) \right]$$

3. $e_{\eta}f$ is continuously differentiable and

$$\nabla e_{\eta} f(x) = \frac{1}{\eta} \left(x - \operatorname{prox}_{\eta f}(x) \right)$$

4. If $\eta = \lambda/2$, then $\nabla e_{\eta}f$ is $\frac{1}{\eta}$ smooth.

Proof. All these properties follow from [52] Corollary 3.4 because $\frac{1}{\lambda}$ smooth functions are $\frac{1}{\lambda}$ weakly convex functions. In our paper, we work with the function $M_{\lambda\tilde{\Phi}}$, notice that it corresponds to the Moreau-Yosida regularization

$$M_{\lambda\Phi} = e_{\frac{\lambda}{2}}\tilde{\Phi}$$

All the properties therefore follow with $\eta = \frac{\lambda}{2}$.

Lemma 18 (Telescoping Lemma). Let $(\gamma_t)_t$ be a non-increasing sequence. Let $(u_t)_t \in \mathbb{R}^{\mathbb{N}}_+$ be a non-negative sequence uniformly bounded by $u_{\max} > 0$, it holds that

$$\sum_{t=1}^{T} \frac{1}{\gamma_t} (u_t - u_{t+1}) \le \frac{u_{\max}}{\gamma_T}$$

Proof.

$$\begin{split} \sum_{t=1}^{T} \frac{1}{\gamma_t} (u_t - u_{t+1}) &= \sum_{t=1}^{T} \frac{u_t}{\gamma_{t-1}} - \frac{u_{t+1}}{\gamma_t} + \sum_{t=1}^{T} \left(\frac{1}{\gamma_t} - \frac{1}{\gamma_{t-1}} \right) u_t \\ &\leq \sum_{t=1}^{T} \frac{u_t}{\gamma_{t-1}} - \frac{u_{t+1}}{\gamma_t} + u_{\max} \sum_{t=1}^{T} \frac{1}{\gamma_t} - \frac{1}{\gamma_{t-1}} \\ &= \frac{u_1}{\gamma_0} - \frac{u_{T+1}}{\gamma_T} + \frac{u_{\max}}{\gamma_T} - \frac{u_{\max}}{\gamma_0} \\ &\leq \frac{u_{\max}}{\gamma_T} \end{split}$$

r		